

Supporting Information:

A Thermally Decomposable Template Route to Synthesize Nitrogen-Doped Wrinkled Carbon Nanosheets as Highly Efficient and Stable Electrocatalysts for the Oxygen Reduction Reaction

Daguo Gu,^a Fangfang Wang,^b Kang Yan,^{c*} Ruguang Ma,^{b*} and Jiacheng Wang^{b*}

^a School of Materials Engineering, Yancheng Institute of Technology, 1 Xiwang Avenue, Yancheng 224051, Jiangsu Province, P. R. China.

^b State Key Laboratory of High Performance Ceramics and Superfine Microstructure, Shanghai Institute of Ceramics, Chinese Academy of Sciences, 1295 Dingxi Road, Shanghai 200050, P. R. China.

^c State key laboratory of Mechanics and Control of Mechanical Structures, College of Aerospace Engineering, Nanjing University of Aeronautics and Astronautics, 29 Yudao Street, Nanjing 210016, P. R. China.

***Corresponding authors.** Email: yankang@nuaa.edu.cn (K. Yan); maruguang@mail.sic.ac.cn (R. Ma); jiacheng.wang@mail.sic.ac.cn (J. Wang)

This Supporting Information consists of two figures (Figure S1 and Figure S2).




Figure S1. CV curves of PCM and NWCN-X samples in O_2 -saturated 0.1 M KOH solution (sweep rate: 50 mV/s).




Figure S2. LSV curves of (a) PCM, (b) NWCN-1, (c) NWCN-4, and (d) Pt/C in O_2 -saturated 0.1 M KOH solution (sweep rate: 10 mV/s).