

Supporting Information

Versatile Platform for Controlling Properties of Plant Oil-Based Latex Polymer Networks

Zoriana Demchuk,¹ Ananiy Kohut,² Stanislav Voronov,² Andriy Voronov^{1*}

¹ *Department of Coatings and Polymeric Materials, North Dakota State University,
1735 NDSU Research Park Drive, Fargo, ND USA 58105-6050*

² *Department of Organic Chemistry, National University Lviv Polytechnic,
12 Bandery St., Lviv, UKRAINE, 79013*

*Corresponding author. E-mail address: andriy.voronov@ndsu.edu.

3 pages, 4 Figures




Figure. S1. Oxidatively cured POBM-based latex copolymer films with 60 wt.% of biobased content.




Figure. S2. Stress-strain diagrams (A) and the change of $\tan \delta$ with temperature (B) for OVM-based latex films at increasing HSBM content in copolymerization feed (wt.%).




Figure. S3. Stress-strain diagrams (A) and the change of $\tan \delta$ with temperature (B) for SBM-based latex films at increasing HSBM content in copolymerization feed (wt.%).




Figure. S4. Stress-strain diagrams (A) and the change of $\tan \delta$ with temperature (B) for LSM-based latex films at increasing HSBM content in copolymerization feed (wt.%).