

Iodosobenzene Mediated α -Acyloxylation of 1,3-Dicarbonyl Compounds with Carboxylic Acids and an Insight into the Reaction Mechanism

Chitturi Bhujanga Rao,^a Jingwen Yuan,^a Qian Zhang,^a Rui Zhang,^{a*} Ning Zhang,^{a,b} Jianyong Fang,^{a,b} and Dewen Dong^{a,b*}

^a Key Laboratory of Synthetic Rubber, Changchun Institute of Applied Chemistry, Chinese Academy of Sciences, Changchun, 130022, P. R. China.

^b Changzhou Institute of Energy Storage Materials & Devices, Changzhou, 213000, P. R. China


E-mail: ariel@ciac.ac.cn (R.Zhang); dwdong@ciac.ac.cn (D.Dong)

Supporting Information


Table of contents

I. NMR spectral copies for products 3	S2.-S34
II. NMR spectral copies for products 6 and 7	S35-S46
III. NMR spectral copies for the product 8bg	S47-S48
IV. NMR spectral copies for Phenyl iodine bis(2-phenylacetate) (A)	S49-S50


I. Copies of NMR spectra for products 3
3aa




3aa




3ab




3ab




3ba




3ac




3ac




3ad




3ad




3ae




3ae




3af




3af




3bb




3bb




3cb




3cb




3db




3db




3eb




3eb




3fb




3fb




3gb




3gb




3hb




3hb




3ib




3ib




3jc




3jc



3kd




3kd




II. Copies of NMR spectra for products 6 and 7


6aa




6aa




7aa




7aa




7ha




7ha




7ca




7ca




7ka




7ka




7eb




7eb




III. Copies of NMR spectra for product 8bg



8bg



IV. Copies of NMR spectra for Phenyliodine bis(2-phenylacetate) (A)



Phenylodine bis(2-phenylacetate) (A)

