

Supporting information

One-pot fabrication of g-C₃N₄/MWCNTs nanocomposites with superior visible-light photocatalytic performance

*Fei Ding^{a, d, ‡}, Zhanfeng Zhao^{a, d, ‡}, Dong Yang^{b, c}, Xuyang Zhao^{a, d}, Yao Chen^{a, d} and Zhongyi Jiang^{a, d, *}*

^a Key Laboratory for Green Technology, School of Chemical Engineering and Technology, Tianjin University, Tianjin 300072, China

^b Key Laboratory of Systems Bioengineering of Ministry of Education, School of Chemical Engineering and Technology, Tianjin University, Tianjin 30072, China

^c School of Environmental Science and Engineering, Tianjin University, 300072 Tianjin, China

^d Collaborative Innovation Center of Chemical Science and Engineering (Tianjin), Tianjin 300072, China

* Corresponding author. Tel: 86-22-27406646. Fax: 86-22-23500086.

E-mail address: zhyjiang@tju.edu.cn

‡ These authors contributed equally.




Figure S1. Adsorption isothermal curve of g-C₃N₄/MWCNTs-2 for the RhB solution of 10 mg L⁻¹ at 298 K.




Figure S2. Concentration-adsorption standard curve of RhB solution




Figure S3. Chemical oxygen demand (COD) for RhB solution in the presence of

g-C₃N₄/MWCNTs-2 photocatalyst