

Supporting information

Untargeted and Targeted Discrimination of Honey Collected by *Apis cerana* and *Apis mellifera* Based on Volatiles Using HS-GC-IMS and HS-SPME-GC-MS

Xinran Wang^a, Karyne M. Rogers^b, Yi Li^{a,c,d,e}, Shupeng Yang^{a,c,d,e}, Lanzhen Chen^{a,c,d,e*}, Jinhui Zhou^{a,c,d,e*}

^a Institute of Apicultural Research, Chinese Academy of Agricultural Sciences, Beijing 100093, PR China

^b National Isotope Centre, GNS Science, 30 Gracefield Road, Lower Hutt 5040, New Zealand

^c Laboratory of Risk Assessment for Quality and Safety of Bee Products, Ministry of Agriculture, Beijing 100093, PR China

^d Key Laboratory of Bee Products for Quality and Safety Control, Ministry of Agriculture, Beijing 100093, PR China

^e Bee Product Quality Supervision and Testing Centre, Ministry of Agriculture, Beijing 100093, PR China

Corresponding author. Tel: 86-10-6259-6429; Fax: 86-10-6259-4643; Email: zhoujinhui@caas.cn (Jinhui Zhou) and Lanzhen Chen (chenlanzhen2005@126.com). These authors contributed equally to this work.




Figure S1 The loading plot of PCA model




Figure S2 The Hotelling's T2 parameter of the PCA model