Supporting Information

Pagoamide A, a Cyclic Depsipeptide Isolated from a Cultured Marine

Chlorophyte, Derbesia sp., Using MS/MS-Based Molecular

Networking

Yueying Li,^{†,‡} Hao-Bing Yu,^{‡,§} Yi Zhang,^{‡,⊥} Tiago Leao,[‡] Evgenia Glukhov,[‡] Marsha L. Pierce,[∥]

Chen Zhang,^{‡,#,} Hyunwoo Kim,[‡] Huanru Henry Mao,[#] Fang Fang,[‡] Garrison W. Cottrell,[#] Thomas

F. Murray,[∥] Lena Gerwick,[‡] Huashi Guan,[†] and William H. Gerwick^{*,‡,¶}

^{*} Center for Marine Biotechnology and Biomedicine, Scripps Institution of Oceanography, University of California, San Diego, La Jolla, California 92093, United States

[°] Department of Biochemistry and Molecular Biology, College of Basic Medical Sciences, Second Military Medical University, Shanghai 200433, People's Republic of China

¹College of Food Science and Technology, Guangdong Ocean University, Zhanjiang 524088, People's Republic of China

Department of Pharmacology, School of Medicine, Creighton University, Omaha, Nebraska 68178, United States

#Department of Computer Sciences and Engineering, University of California, San Diego, La Jolla, California 92093, United States

[¶]Skaggs School of Pharmacy and Pharmaceutical Sciences, University of California, San Diego, La Jolla, California 92093, United States

*Author for correspondence Tel: (858)-534-0578 E-mail: wgerwick@ucsd.edu

[']Key Laboratory of Marine Drugs, Chinese Ministry of Education, School of Medicine and Pharmacy, Ocean University of China, Qingdao 266003, People's Republic of China

Table of Contents

- S1 LC-MS/MS spectrum of pagoamide A (1).
- S2 The positive ion ESIMS spectrum of pagoamide A (1).
- **S3** The negative ion ESIMS spectrum of pagoamide A (1).
- S4 ¹H NMR (298 °K, 500 MHz, DMSO- d_6) spectrum of pagoamide A (1).
- S5¹³C NMR (298 °K, 125 MHz, DMSO-*d*₆) spectrum of pagoamide A (1).
- S6 COSY spectrum of pagoamide A (1).
- S7 HSQC spectrum of pagoamide A (1).
- S8 HMBC spectrum of pagoamide A (1).
- **S9** ROESY spectrum of pagoamide A (1).
- **S10** ¹H NMR (298 °K, 500 MHz, DMSO- d_6) spectrum of synthetic *N*,*N*-dimethyl-L-valine (2).
- **S11** ¹H NMR (298 °K, 500 MHz, DMSO-*d*₆) spectrum of synthetic N,N-Dimethyl-D-valine (**3**).
- **S12** LC-MS chromatograms of Marfey's analysis of the amino acid standards A) D-valine, B) L-valine and C) hydrolysis product of pagoamide A (1).
- S13 LC-MS chromatograms of Marfey's analysis of the amino acid standards A) D-phenylalanine,B) L-phenylalanine and C) hydrolysis product of pagoamide A (1).
- **S14** LC-MS chromatograms of Marfey's analysis of the amino acid standards A) D/L-alanine, B) L-alanine and C) hydrolysis product of pagoamide A (1).
- S15 LC-UV/Vis chromatograms of Marfey's analysis of the amino acid standards A) G) D-serine,
 B) H) L-serine and C) I) hydrolysis product of pagoamide A (1) and LC-MS chromatograms of Marfey's analysis of the amino acid standards D) D-serine, E) L-serine and F) hydrolysis product of pagoamide A (1).
- S16 LC-MS chromatograms of Marfey's analysis of the amino acid standards A) D-threonine, B) L-threonine, C) D-allo-threonine, D) L-allo-threonine and E) hydrolysis product of pagoamide A (1).
- **S17** HPLC chromatograms of the amino acid standards A) *N*,*N*-dimethyl-L-valine, B) *N*,*N*-dimethyl-D-valine and C) hydrolysis product of pagoamide A (1).
- S18 HPLC chromatograms of Marfey's analysis of the amino acid standards A) L-phenylalanine,B) D-phenylalanine and C) base hydrolysis and hydrazinolysis product of pagoamide A (1).
- **S19** LC-MS chromatograms of Marfey's analysis hydrolysis and derivatization products A) without and B) with prior ozonolysis of pagoamide A (1).

- **S20** LC-MS/MS based molecular networking figure for the VLC fractions A-I from the crude extract of *Derbesia* sp.
- S21 Calcium influx assay results from evaluation of the crude extract and derived VLC fractions.
- S22 Calcium oscillation assay results from the crude extract and derived VLC fractions.
- S23 Depiction of the Marfey's analysis performed for pagoamide A. A) D-DAA-Glycine derivative with m/z 327 and B) D-DAA-Gly-Cys (Thiazole 1) derivative with m/z 410.
- **S24** Stable conformers of pagoamide A (1) with configurations deduced from conformational analysis [5 conformers of A series (D-serine-1, L-serine-2) and 3 conformers in B series (L-serine-1, D-serine-2)].
- S25 Thermodynamic parameters (a.u.) of optimized pagoamide A (1) with structure at B3LYP/6-31+G(d,p) level in the gas phase.



S1 LC-MS/MS spectrum of pagoamide A (1).



S2 The positive ion ESIMS spectrum of pagoamide A (1).



S3 The negative ion ESIMS spectrum of pagoamide A (1).



S4 ¹H NMR (298 °K, 500 MHz, DMSO-*d*₆) spectrum of pagoamide A (1).



S5 13 C NMR (298 °K, 125 MHz, DMSO- d_6) spectrum of pagoamide A (1).



S6 COSY spectrum of pagoamide A (1).



S7 HSQC spectrum of pagoamide A (1).



S8 HMBC spectrum of pagoamide A (1).

S9 ROESY spectrum of pagoamide A (1).

S10 ¹H NMR (298 °K, 500 MHz, DMSO-*d*₆) spectrum of synthetic *N*,*N*-dimethyl-L-valine (2).

S11 ¹H NMR (298 °K, 500 MHz, DMSO-*d*₆) spectrum of synthetic N,N-Dimethyl-D-valine (**3**).

S12 LC-MS chromatograms of Marfey's analysis of the amino acid standards A) D-valine, B) L-valine and C) hydrolysis product of pagoamide A (1).

S13 LC-MS chromatograms of Marfey's analysis of the amino acid standards A) D-phenylalanine, B) L-phenylalanine and C) hydrolysis product of pagoamide A (1).

S14 LC-MS chromatograms of Marfey's analysis of the amino acid standards A) D/L-alanine, B) L-alanine and C) hydrolysis product of pagoamide A (1).

S15 LC-UV/Vis chromatograms of Marfey's analysis of the amino acid standards A) G) D-serine, B) H) L-serine and C) I) hydrolysis product of pagoamide A (1) and LC-MS chromatograms of Marfey's analysis of the amino acid standards D) D-serine, E) L-serine and F) hydrolysis product of pagoamide A (1).

S16 LC-MS chromatograms of Marfey's analysis of the amino acid standards A) D-threonine, B) L-threonine, C) D-allo-threonine, D) L-allo-threonine and E) hydrolysis product of pagoamide A (1).

S17 HPLC chromatograms of the amino acid standards A) *N*,*N*-dimethyl-L-valine, B) *N*,*N*-dimethyl-D-valine and C) hydrolysis product of pagoamide A (1).

S18 HPLC chromatograms of Marfey's analysis of the amino acid standards A) L-phenylalanine, B) D-phenylalanine and C) base hydrolysis and hydrazinolysis product of pagoamide A (1).

S19 LC-MS chromatograms of Marfey's analysis hydrolysis and derivatization products A) without and B) with prior ozonolysis of pagoamide A (1).

S20 LC-MS/MS based molecular networking figure for the VLC fractions A-I from the crude extract of *Derbesia* sp. As red = blank, yellow = crude extract, light green = Fr. ABC, green = Fr. D, blue green = Fr. E, light blue = Fr. F, dark blue = Fr. G, purple = Fr. H, pink= Fr. I.

S21 Calcium influx assay results from evaluation of the crude extract and derived VLC fractions.

S22 Calcium oscillation assay results from the crude extract and derived VLC fractions.

S23 Depiction of the Marfey's analysis performed for pagoamide A. A) D-DAA-Glycine derivative with *m/z* 327 and B) D-DAA-Gly-Cys (Thiazole 1) derivative with *m/z* 410.

S24 Stable conformers of pagoamide A (1) with configurations deduced from conformational analysis [5 conformers of A series (D-serine-1, L-serine-2) and 3 conformers in B series (L-serine-1, D-serine-2)].

Conformations	E+ZPE	G	Conformations	E+ZPE	G
1A1	-4284.200481	-4284.328950	1B1	-4284.191294	-4284.318327
1A2	-4284.164606	-4284.294035	1B2	-4284.186518	-4284.308784
1A3	-4284.166871	-4284.288884	1B3	-4284.158355	-4284.285985
1A4	-4284.162369	-4284.282102			
1A5	-4284.150824	-4284.274051			

S25 Thermodynamic parameters (a.u.) of optimized pagoamide A (1) with structure at B3LYP/6-31+G(d,p) level in the gas phase.