

Sulfadiazine Masquerading as a Natural Product from *Scilla madeirensis* (Scilloideae)

Luke P. Robertson,^{†,‡,*} Lindon W. K. Moodie,^{§,⊥} Darren C. Holland,^{||} K. Charlotte Jandér,[†] and Ulf Göransson[‡]

[†] Plant Ecology and Evolution, Department of Ecology and Genetics, Evolutionary Biology Centre, Uppsala University, 75236 Uppsala, Sweden

[‡] Pharmacognosy; Department of Medicinal Chemistry, Biomedical Centre, Uppsala University, 75123 Uppsala, Sweden

[§] Drug Design and Discovery, Department of Medicinal Chemistry, Biomedical Centre, Uppsala University, 75123 Uppsala, Sweden

[⊥] Uppsala Antibiotic Centre, Uppsala University, 75123 Uppsala, Sweden

^{||} Environmental Futures Research Institute, Griffith University, Southport 4222, Gold Coast, Australia

Supporting Information

Table of Contents

Figure S1. ^1H NMR spectrum (500 MHz) of sulfadiazine (**2**) in DMSO- d_6

Figure S2. ^{13}C NMR spectrum (125 MHz) of sulfadiazine (**2**) in DMSO- d_6

Figure S3. COSY NMR spectrum (500 MHz) of sulfadiazine (**2**) in DMSO- d_6

Figure S4. HSQC NMR spectrum (500 MHz) of sulfadiazine (**2**) in DMSO- d_6

Figure S5. HMBC NMR spectrum (500 MHz) of sulfadiazine (**2**) in DMSO- d_6

Figure S6. EIMS spectrum of sulfadiazine (**2**) (70 eV)

Figure S7. EIMS spectrum of synthetic 2-(4'-aminobenzenamine)-pyrimidine (**1**) (70 eV)

Figure S8. ^1H NMR spectrum (600 MHz) of synthetic 2-(4'-aminobenzenamine)-pyrimidine (**1**) in DMSO- d_6

Figure S9. ^{13}C NMR spectrum (200 MHz) of synthetic 2-(4'-aminobenzenamine)-pyrimidine (**1**) in DMSO- d_6

Figure S10. COSY NMR spectrum (600 MHz) of synthetic 2-(4'-aminobenzenamine)-pyrimidine (**1**) in DMSO- d_6

Figure S11. HSQC NMR spectrum (600 MHz) of synthetic 2-(4'-aminobenzenamine)-pyrimidine (**1**) in DMSO- d_6

Figure S12. HMBC NMR spectrum (600 MHz) of synthetic 2-(4'-aminobenzenamine)-pyrimidine (**1**) in DMSO- d_6

Figure S13. Synthesis of 2-(4'-aminobenzenamine)-pyrimidine (**1**)




Figure S1. ^1H NMR spectrum (500 MHz) of sulfadiazine (**2**) in $\text{DMSO}-d_6$




Figure S2. ^{13}C NMR spectrum (125 MHz) of sulfadiazine (**2**) in $\text{DMSO}-d_6$




Figure S3. COSY NMR spectrum (500 MHz) of sulfadiazine (**2**) in $\text{DMSO}-d_6$




Figure S4. HSQC NMR spectrum (500 MHz) of sulfadiazine (**2**) in $\text{DMSO}-d_6$




Figure S5. HMBC NMR spectrum (500 MHz) of sulfadiazine (**2**) in $\text{DMSO}-d_6$




Figure S6. EIMS spectrum of sulfadiazine (**2**) (70 eV)




Figure S7. EIMS spectrum of synthetic 2-(4'-aminobenzenamine)-pyrimidine (**1**) (70 eV)




Figure S8. ^1H NMR spectrum (600 MHz) of synthetic 2-(4'-aminobenzenamine)-pyrimidine (**1**) in $\text{DMSO}-d_6$




Figure S9. ^{13}C NMR spectrum (200 MHz) of synthetic 2-(4-(4'-aminobenzenamine)-pyrimidine (**1**) in $\text{DMSO}-d_6$




Figure S10. COSY NMR spectrum (600 MHz) of synthetic 2-(4'-aminobenzenamine)-pyrimidine (**1**) in $\text{DMSO}-d_6$




Figure S11. HSQC NMR spectrum (600 MHz) of synthetic 2-(4'-aminobenzenamine)-pyrimidine (**1**) in $\text{DMSO}-d_6$




Figure S12. HMBC NMR spectrum (600 MHz) of synthetic 2-(4'-aminobenzenamine)-pyrimidine (**1**) in $\text{DMSO}-d_6$




Figure S13. Synthesis of 2(4'-aminobenzenamine)-pyrimidine (**1**)