

checkCIF/PLATON report

You have not supplied any structure factors. As a result the full set of tests cannot be run.

THIS REPORT IS FOR GUIDANCE ONLY. IF USED AS PART OF A REVIEW PROCEDURE FOR PUBLICATION, IT SHOULD NOT REPLACE THE EXPERTISE OF AN EXPERIENCED CRYSTALLOGRAPHIC REFEREE.

No syntax errors found. CIF dictionary Interpreting this report

Datablock: 1q

Bond precision:	C-C = 0.0112 Å	Wavelength=0.71073
Cell:	a=25.122(3)	b=11.9422(11) c=17.937(2)
	alpha=90	beta=113.817(5) gamma=90
Temperature:	100 K	
	Calculated	Reported
Volume	4923.0(9)	4922.9(9)
Space group	C 2/c	C 1 2/c 1
Hall group	-C 2yc	-C 2yc
Moiety formula	C22 H17 Cu I N3 O, C2 H4 Cl2	0.5(C88 H68 Cu4 I4 N12 O4), 2(C2 H4 Cl2)
Sum formula	C24 H21 Cl2 Cu I N3 O	C48 H42 Cl4 Cu2 I2 N6 O2
Mr	628.79	1257.55
Dx, g cm-3	1.697	1.697
Z	8	4
Mu (mm-1)	2.380	2.380
F000	2480.0	2480.0
F000'	2481.76	
h,k,lmax	30,14,22	30,14,21
Nref	4837	4628
Tmin,Tmax	0.524,0.621	0.357,0.745
Tmin'	0.339	

Correction method= # Reported T Limits: Tmin=0.357 Tmax=0.745
AbsCorr = MULTI-SCAN

Data completeness= 0.957 Theta(max)= 25.984

R(reflections)= 0.0554(3754) wR2(reflections)= 0.1486(4628)

S = 1.094 Npar= 290

The following ALERTS were generated. Each ALERT has the format

test-name_ALERT_alert-type_alert-level.

Click on the hyperlinks for more details of the test.



Alert level C

PLAT241_ALERT_2_C	High	MainMol Ueq as Compared to Neighbors of	C2	Check
PLAT244_ALERT_4_C	Low	Solvent Ueq as Compared to Neighbors of	C22S	Check
PLAT260_ALERT_2_C	Large	Average Ueq of Residue Including	C11	0.147 Check
PLAT342_ALERT_3_C	Low	Bond Precision on C-C Bonds		0.01118 Ang.



Alert level G

PLAT004_ALERT_5_G	Polymeric Structure Found with Maximum Dimension	2	Info
PLAT012_ALERT_1_G	N.O.K. _shelx_res_checksum Found in CIF		Please Check
PLAT042_ALERT_1_G	Calc. and Reported MoietyFormula Strings Differ		Please Check
PLAT045_ALERT_1_G	Calculated and Reported Z Differ by a Factor ...	2.00	Check
PLAT083_ALERT_2_G	SHELXL Second Parameter in WGHT Unusually Large	100.58	Why ?
PLAT128_ALERT_4_G	Alternate Setting for Input Space Group	C2/c	I2/a Note
PLAT232_ALERT_2_G	Hirshfeld Test Diff (M-X) I1 --Cu1 .	8.2	s.u.
PLAT232_ALERT_2_G	Hirshfeld Test Diff (M-X) I1 --Cu1_a .	9.4	s.u.

0 **ALERT level A** = Most likely a serious problem - resolve or explain
0 **ALERT level B** = A potentially serious problem, consider carefully
4 **ALERT level C** = Check. Ensure it is not caused by an omission or oversight
8 **ALERT level G** = General information/check it is not something unexpected

3 ALERT type 1 CIF construction/syntax error, inconsistent or missing data
5 ALERT type 2 Indicator that the structure model may be wrong or deficient
1 ALERT type 3 Indicator that the structure quality may be low
2 ALERT type 4 Improvement, methodology, query or suggestion
1 ALERT type 5 Informative message, check

It is advisable to attempt to resolve as many as possible of the alerts in all categories. Often the minor alerts point to easily fixed oversights, errors and omissions in your CIF or refinement strategy, so attention to these fine details can be worthwhile. In order to resolve some of the more serious problems it may be necessary to carry out additional measurements or structure refinements. However, the purpose of your study may justify the reported deviations and the more serious of these should normally be commented upon in the discussion or experimental section of a paper or in the "special_details" fields of the CIF. checkCIF was carefully designed to identify outliers and unusual parameters, but every test has its limitations and alerts that are not important in a particular case may appear. Conversely, the absence of alerts does not guarantee there are no aspects of the results needing attention. It is up to the individual to critically assess their own results and, if necessary, seek expert advice.

Publication of your CIF in IUCr journals

A basic structural check has been run on your CIF. These basic checks will be run on all CIFs submitted for publication in IUCr journals (*Acta Crystallographica*, *Journal of Applied Crystallography*, *Journal of Synchrotron Radiation*); however, if you intend to submit to *Acta Crystallographica Section C* or *E* or *IUCrData*, you should make sure that full publication checks are run on the final version of your CIF prior to submission.

Publication of your CIF in other journals

Please refer to the *Notes for Authors* of the relevant journal for any special instructions relating to CIF submission.

PLATON version of 22/12/2019; check.def file version of 13/12/2019

