

SUPPORTING INFORMATION

ZnO and TiO₂ nanocolloids: the state of the mechanisms, regulating the motility of the gastrointestinal tract and hepatobiliary system

Olga Tsymbalyuk^{||}, Tamara Davydovska^{||}, Vladyslav Lisnyak^{⊥,§}, Stanislav Veselsky^{||}, Alexander Zaderko^{||,‡}, Ivan Voiteshenko^{||}, Anna Naumenko^{||}, Valeriy Skryshevsky^{||,‡*}

^{||}Institute of High Technologies, Taras Shevchenko National University of Kyiv, 64,
Volodymyrska Str, 01033 Kyiv, Ukraine

[⊥] Chemical Faculty, Taras Shevchenko National University of Kyiv, 64, Volodymyrska Str.,
01033 Kyiv, Ukraine

[§]Prešov University in Prešov, Ul. 17. Novembra č. 1, 081 16 Prešov, Slovakia

[‡]Corporation Science Park Taras Shevchenko University of Kyiv, 60, Volodymyrska Str., 01033
Kyiv, Ukraine

* Corresponding author




Figure S1. PXRD pattern of TiO₂ NPs.




Figure S2. PXRD pattern of ZnO NPs.




Figure S3. (a, b) TEM images and (c, d) SAED patterns of HT/TiO₂ NPs.