

LITERATURE CITED

- (1) Alexander R.B.; Smith, R.A.; Schwarz, G.E. Effect of stream channel size on the delivery of nitrogen to the Gulf of Mexico. *Nature* **2000**, 403, 758-761.
- (2) Schwarz, G.E.; Hoos, A.B.; Alexander, R.B.; Smith, R.A. *The SPARROW surface water-quality model: Theory, application and user documentation*, U.S. Geological Survey Techniques and Methods Report, Book 6, Chapter B3, 2006.
- (3) Stream Solute Workshop. Concepts and methods for assessing solute dynamics in stream ecosystems. *J. North American Benthological Society* **1990**, 9: 95-119.
- (4) Cohn, T.A.; Caulder, D.L.; Gilroy, E.J.; Zynzuk, L.D.; Summers, R.M. The validity of a simple statistical model for estimating fluvial constituent loads: an empirical study involving nutrient loads entering Chesapeake Bay. *Water Resources Research* **1992**, 28, 2353-63.
- (5) Gilroy, E.J.; Hirsch, R.M.; Cohn, T.A. Mean square error of regression-based constituent transport estimates. *Water Resources Research* **1990**, 26, 2069-77.
- (6) Vogelmann, J.E.; Howard, S.M.; Yang, L.; Larson, C.R.; Wylie, B.K.; Van Driel, N. Completion of the 1990s National Land Cover Data Set for the conterminous United States from Landsat Thematic Mapper data and ancillary data sources. *Photogrammetric Engineering and Remote Sensing* **2001**, 67, 650-652.
<http://www.epa.gov/mrlc/classes.html>;
<http://landcover.usgs.gov/nationallandcover.asp>.
- (7) Kellogg, R.L.; Lander, C.H.; Moffitt, D.C.; Gollehon, N. Manure nutrients relative to the capacity of cropland and pastureland to assimilate nutrients: Spatial and temporal trends for the U.S. USDA-NRCS Economic Research Service, Pub. No. nps00-0579, 2000. <http://www.nrcs.usda.gov/technical/land/pubs/mannttr.html>.
- (8) U.S. Department of Commerce. *1992 Census of Agriculture*. Bureau of the Census: Washington, D.C., Volume 1, AC92-A-51 (machine readable data files) 1994
<http://www.census.gov/prod/2/agr/92area/92agr.html>.
- (9) Alexander R.B.; Slack, J.R.; Ludtke, A.S.; Fitzgerald, K.K.; Schertz, T.L. Data from selected U.S. Geological Survey National Stream Water-Quality Monitoring Networks. *Water Resources Research* **1998**, 34, 2401-2405.
- (10) U.S. Commission on Ocean Policy. *An Ocean Blueprint for the 21st Century*. Final Report, Washington, DC, 2004, ISBN#0-9759462-0-X, 2004.
- (11) Alexander, R.B.; Brakebill, J.W.; Brew, R.; Smith, R.A. *ERF1 – Enhanced River Reach File 1.2*, U.S. Geological Survey Open-File Report 99-457, 1999.
<http://water.usgs.gov/lookup/getspatial?erf1>.
- (12) Nolan, J.V.; Brakebill, J.W.; Alexander, R.B.; Schwarz, G.E. *Enhanced River Reach File 2*, U.S. Geological Survey Open-File Report 02-40, 2002.
<http://water.usgs.gov/lookup/getspatial?erf1-2>.
- (13) Snyder, J.P. *Map Projections – A working manual*, U.S. Geological Survey Professional Paper 1395, 1987.
- (14) Verdin, K.L.; Jenson, S.K. HYDRO1K Elevation Derivative Database, in *Proceedings of the Third International Conference/Workshop on Integrating GIS and Environmental Modeling*, Santa Fe, New Mexico, January 21-26, 1996, National Center for Geographic Information and Analysis: Santa Barbara, California, 1996.
<http://edcdaac.usgs.gov/topo30/hydro/namerica.html>.

- (15) GeoLytics, Inc. *CensusCD: The complete census reference on a single CD*. Version 1.1 [1990 data], East Brunswick, NJ, 1996. <http://www.census.gov/geo/www/cob/>.
- (16) GeoLytics, Inc. *Census 2000: Demographic Data and Estimates*, 2000. <http://www.geolytics.com/census2000.htm>
- (17) National Atmospheric Deposition Program. *NADP/NTN Annual data summary: Precipitation chemistry in the United States 1983 to 1993*, National Resources Ecology Laboratory, Colorado State University: Fort Collins, Colorado, 1993. http://www.neonet.nl/ceosin/datasets/NADP_NTN.html.
- (18) Alexander, R.B.; Smith, R.A.; Schwarz, G.E.; Preston, S.D.; Brakebill, J.W.; Srinivasan, R.; Pacheco, P.A. Atmospheric nitrogen flux from the watersheds of major estuaries of the United States: an application of the SPARROW watershed model, in *Nitrogen Loading in Coastal Water Bodies: An Atmospheric Perspective*. [*American Geophysical Union Monograph 57*](#), R. Valigura et al. (eds.), p. 119-170, 2001.
- (19) Environmental Systems Research Institute (ESRI), Inc. *Arc/Info Users Guide, Cell-Based Modeling with Grid*, 2d Edition: Redlands, California, 1992.
- (20) Preston, S.D.; Brakebill, J.W. *Application of Spatially Referenced Regression Modeling for the Evaluation of Total Nitrogen Loading in the Chesapeake Bay Watershed*, U.S. Geological Survey Water-Resources Investigation Report 99-4054, 1999. <http://md.water.usgs.gov/publications/wrir-99-4054>.
- (21) Brakebill, J.W.; Preston, S.D.; Martucci, S.K. *Digital data used to relate nutrient inputs to water quality in the Chesapeake Bay watershed*, Version 2.0: U.S. Geological Survey Open File Report 01-251, 2001. <http://md.water.usgs.gov/gis/chesbay/sparrow2/doc/atdep92.htm>.
- (22) National Atmospheric Deposition Program. *Inside rain: A look at the National Atmospheric Deposition Program*. NADP Brochure 199-01b. Citizen Printing: Fort Collins, Colorado, 1999. <http://nadp.sws.uiuc.edu/lib/brochures/insideRain.pdf>
- (23) Jordan, T.E.; Weller, D.E. Human contributions to terrestrial nitrogen flux. *Bioscience* **1996**, 46, 655-664.
- (24) Ruddy, B.C.; Lorenz, D.L.; Mueller, D.K. *County-level estimates of nutrient inputs to the land surface of the conterminous United States, 1982-2001*, U.S. Geological Survey Scientific Investigations Report 2006-5012, 2006. <http://pubs.usgs.gov/sir/2006/5012/>
- (25) National Agricultural Statistics Service (NASS). *Agricultural chemical usage: 1992 field crops summary*, U.S. Department of Agriculture, 1993. <http://www.usda.gov/nass/>
- (26) National Agricultural Statistics Service (NASS). *Agricultural chemical usage: 2001 field crops summary*, U.S. Department of Agriculture, 2002. <http://www.usda.gov/nass/>
- (27) National Agricultural Statistics Service (NASS). *Agricultural chemical usage: 2002 field crops summary*, U.S. Department of Agriculture. 2003. <http://www.usda.gov/nass/>
- (28) National Agricultural Statistics Service (NASS). *2002 Census of Agriculture: Census Quick Stats: Ag statistics for U.S., State, and county*, U.S. Department of Agriculture, 2006. http://www.nass.usda.gov/Census_of_Agriculture/index.asp

- (29) Padgitt, M.; Newton, D.; Penn, R.; Sandretto, C. *Production practices for major crops in U.S. Agriculture, 1990-97*, Statistical Bulletin No. (SB969) 2000.
<http://www.ers.usda.gov/Publications/sb969/>
- (30) Lander, C.H.; Moffitt, D.; Alt, K. *Nutrients available from livestock manure relative to crop growth requirements*, U.S. Department of Agriculture, Natural Resources Conservation Service, Resource Assessment and Strategic Planning Working Paper 98-1, 1998.
- (31) U.S. Environmental Protection Agency. *Background report on fertilizer use, contaminants, and regulations*, EPA 747-R-98-003, 1999.
- (32) Kim, S.; Dale, B. E. Cumulative energy and global warming impacts from the production of biomass for biobased products. *Journal of Industrial Ecology* **2004**, 7, 147-162.
- (33) Li, C.; Frolking, S. *Nitrogen Fertilization Data for Counties in the Contiguous United States*, Complex Systems Research Center (CSRC), University of New Hampshire (UNH): Durham, New Hampshire. 1998. Available online from EOS-WEBSTER <http://eos-webster.sr.unh.edu/home.jsp>
- (34) Economic Research Service. *Data sets: Fertilizer consumption and use by year*, 2006. <http://www.ers.usda.gov/Data/FertilizerUse/>
- (35) McIsaac, G.F.; David, M.B.; Gertner, G.Z.; Goolsby, D.A. Relation net nitrogen input in the Mississippi River Basin to nitrate flux in the lower Mississippi River: A comparison of approaches. *J. Environ. Qual.* **2002**, 31, 1610-1622.
- (36) U.S. Department of Commerce. *1978 Census of Agriculture*, Bureau of the Census: Washington, D.C., Volume 5, Special Reports, Part 5, Drainage of Agricultural Lands, AC78-SR-5. 1981.
- (37) Thornton, P.E.; Running, S.W.; White, M.A. Generating surfaces of daily meteorological variables over large regions of complex terrain. *Journal of Hydrology* **1997**, 190, 214-251. <http://www.daymet.org/>
- (38) Miller, D.A.; White, R.A. A conterminous United States multi-layer soil characteristics data set for regional climate and hydrology modeling. *Earth Interactions* 1998. 2. <http://EarthInteractions.org>
- (39) O'Callaghan, J. F.; Mark, D. M. The extraction of drainage networks from digital elevation data. *Comput. Vision Graphics Image Process.* **1984**, 28, 328-344.
- (40) Tarboton, D. G.; Bras, R. L.; Rodriguez-Iturbe, I. The fractal nature of river networks. *Water Resour. Res.* **1988**, 24, 1317-1322.
- (41) Tarboton, D.G. A new method for the determination of flow directions and upslope areas in grid digital elevation models. *Water Resour. Res.* **1997**, 33, 309-319.
- (42) Wolock, D.M.; McCabe, G.J. Comparison of single and multiple flow direction algorithms for computing topographic parameters in TOPMODEL. *Water Resour. Res.* **1995**, 31, 1315-1324.
- (43) Beaulac M.N.; Reckhow, K.H. An examination of land use – nutrient export relationships. *Wat. Res. Bull.* **1982**, 18, 1013-1024.
- (44) Frink, C.R. Estimating nutrient exports to estuaries. *J. Environ. Qual.* **1991**, 20, 717-724.
- (45) Ritter, W.F. Reducting impacts of nonpoint source pollution from agriculture: a review. *J. Environ. Sci. Health* **1988**, 23, 645-667.

- (46) McIsaac, G.F.; David, M.B.; Gertner, G.Z.; Goolsby, D.A. Eutrophication: Nitrate flux in the Mississippi River. *Nature* **2001**, 414, 166-167.
- (47) Böhlke, J. K.; Wanty, R.; Tuttle, M.; Delin, G.; Landon, M. Denitrification in the recharge area and discharge area of a transient agricultural nitrate plume in a glacial outwash sand aquifer, Minnesota. *Water Resour. Res.* **2002**, 38: 1105. doi: 10.1029/2001WR000663