

Supporting Information

β -Lactam Estrogen Receptor Antagonists and a Dual-Targeting Estrogen Receptor/Tubulin Ligand

Niamh M. O'Boyle^{1, 2*}, Jade K. Pollock², Miriam Carr¹, Andrew J. S. Knox², Seema M. Nathwani², Shu Wang¹, Laura Caboni², Daniela M. Zisterer² and Mary J. Meegan^{1*}

Table of Contents

Figure S1. Top 5 Docked Solutions of Compound **26** in Estrogen Receptor α .

Table S1. Top 5 docked solutions of compound **26** in the binding site of estrogen receptor α




Figure S1. Top 5 Docked Solutions of Compound **26** in Estrogen Receptor α .

Table S1. Top 5 Docked Solutions of Compound **26** in the Binding Site of Estrogen Receptor α

Docking Pose	Solution	Hybrid Chemgauss 4 Score
1	(3S,4R)-3-[(S)-hydroxy-(4-hydroxyphenyl)methyl]-4-(4-methoxyphenyl)-1-(3,4,5-trimethoxyphenyl)azetidin-2-one	-10.4397
2	(3R,4R)-3-[(R)-hydroxy-(4-hydroxyphenyl)methyl]-4-(4-methoxyphenyl)-1-(3,4,5-trimethoxyphenyl)azetidin-2-one	-10.3861
3	(3S,4R)-3-[(S)-hydroxy-(4-hydroxyphenyl)methyl]-4-(4-methoxyphenyl)-1-(3,4,5-trimethoxyphenyl)azetidin-2-one	-10.197
4	(3R,4R)-3-[(R)-hydroxy-(4-hydroxyphenyl)methyl]-4-(4-methoxyphenyl)-1-(3,4,5-trimethoxyphenyl)azetidin-2-one	-9.9874
5	(3R,4R)-3-[(R)-hydroxy-(4-hydroxyphenyl)methyl]-4-(4-methoxyphenyl)-1-(3,4,5-trimethoxyphenyl)azetidin-2-one	-9.9093