Supporting information

Pre-clinical alterations in the serum of COL(IV)A3⁻/⁻ mice as early biomarkers of Alport syndrome ^{1,2}Petra Muckova, ¹Sindy Wendler, ³Diana Rubel, ¹Rita Büchler, ¹Mandy Alert, ³Oliver Gross, ¹Heidrun Rhode*

¹Institute of Biochemistry I, University Hospital Jena, Nonnenplan 2-4, 07740 Jena, Germany
²Clinic of Neurology, University Hospital Jena, Erlanger Allee 101, 07740 Jena, Germany
³Department of Nephrology and Rheumatology, University Medicine Göttingen,
Robert-Koch Str. 40, 37075 Göttingen, Germany

Table S1

Excel-folder on mass spectrometric data obtained by Sieve 2.0 and 2.1:

Protein ID, Description, Peptides, Frames, Hits, Ratios, Standard Deviation (StDev), pValue, Fraction number (1D_2D) inclusive prefixes indicating sample pairs of A, 4.5 weeks; B, 6.0 weeks; and C, 7.5 weeks.

Table S2

Serum proteome alterations in AS-mice at week 4.5 - that are reversed by Ramipril.

Table S3

Serum proteome alterations in AS-mice at week 6.0 - that are reversed by Ramipril.

Table S4

Serum proteome alterations in AS-mice at week 7.5 - that are reversed by Ramipril.