

Supporting Information

Chiral recognition studies of α -(nonafluoro-*tert*-butoxy)carboxylic acids by NMR spectroscopy

Anikó Nemes,^{*,†} Tamás Csóka,[†] Szabolcs Béni,^{‡§} Viktor Farkas,^{||} József Rábai[†], Dénes Szabó[†]

* neagift@caesar.elte.hu

[†] *Institute of Chemistry, Eötvös Loránd University, Pázmány Péter sétány 1/A, 1117 Budapest, Hungary*

[‡] *Department of Pharmaceutical Chemistry, Semmelweis University, Hőgyes Endre utca 9, 1092 Budapest, Hungary*

[§] *Department of Pharmacognosy, Semmelweis University, Üllői út 26, 1085, Budapest, Hungary*

^{||} *MTA-ELTE Protein Modelling Research Group, Pázmány Péter sétány 1/A, 1117 Budapest, Hungary*

Table of contents

2D COSY spectrum of (R)-1	4
2D HMBC spectrum of (R)-1	5
2D HSQC spectrum of (R)-1	6
2D COSY spectrum of (RS)-2	7

2D HMBC spectrum of (RS)-2	8
2D HSQC spectrum of (RS)-2	9
2D COSY spectrum of (R)-3	10
2D HMBC spectrum of (R)-3	11
2D HSQC spectrum of (R)-3	12
 <i>¹H and ¹⁹F NMR spectra of the studied diastereomeric salts</i>	 13
 ¹ H NMR spectrum of (R)-1 × (RS)-PEA (54 mM, CDCl ₃)	 13
¹⁹ F NMR spectrum of (R)-1 × (RS)-PEA (54 mM, CDCl ₃)	14
¹ H NMR spectrum of (RS)-1 × (S)-PEA (54 mM, CDCl ₃)	15
¹⁹ F NMR spectrum of (RS)-1 × (S)-PEA (54 mM, CDCl ₃)	16
¹ H NMR spectrum of (RS)-2 × (S)-PEA (54 mM, CDCl ₃)	17
¹⁹ F NMR spectrum of (RS)-2 × (S)-PEA (54 mM, CDCl ₃)	18
¹ H NMR spectrum of (R)-3 × (RS)-PEA (54 mM, CDCl ₃)	19
¹⁹ F NMR spectrum of (R)-3 × (RS)-PEA (54 mM, CDCl ₃)	20
¹ H NMR spectrum of (R)-1 × (RS)-PEA (5 mM, CDCl ₃)	21
¹⁹ F NMR spectrum of (R)-1 × (RS)-PEA (5 mM, CDCl ₃)	22
¹ H NMR spectrum of (RS)-1 × (S)-PEA (5 mM, CDCl ₃)	23
¹⁹ F NMR spectrum of (RS)-1 × (S)-PEA (5 mM, CDCl ₃)	24
¹ H NMR spectrum of (RS)-2 × (S)-PEA (5 mM, CDCl ₃)	25
¹⁹ F NMR spectrum of (RS)-2 × (S)-PEA (5 mM, CDCl ₃)	26
¹ H NMR spectrum of (R)-3 × (RS)-PEA (5 mM, CDCl ₃)	27
¹⁹ F NMR spectrum of (R)-3 × (RS)-PEA (5 mM, CDCl ₃)	28
¹ H NMR spectrum of (R)-1 × (RS)-PEA (54 mM, C ₆ D ₆)	29

^{19}F NMR spectrum of (<i>R</i>)- 1 $\times$ (<i>RS</i>)-PEA (54 mM, C_6D_6)	30
^1H NMR spectrum of (<i>RS</i>)- 1 $\times$ (<i>S</i>)-PEA (54 mM, C_6D_6)	31
^{19}F NMR spectrum of (<i>RS</i>)- 1 $\times$ (<i>S</i>)-PEA (54 mM, C_6D_6)	32
^1H NMR spectrum of (<i>RS</i>)- 2 $\times$ (<i>S</i>)-PEA (54 mM, C_6D_6)	33
^{19}F NMR spectrum of (<i>RS</i>)- 2 $\times$ (<i>S</i>)-PEA (54 mM, C_6D_6)	34
^1H NMR spectrum of (<i>R</i>)- 3 $\times$ (<i>RS</i>)-PEA (54 mM, C_6D_6)	35
^{19}F NMR spectrum of (<i>R</i>)- 3 $\times$ (<i>RS</i>)-PEA (54 mM, C_6D_6)	36
^1H NMR spectrum of (<i>R</i>)- 1 $\times$ (<i>RS</i>)-PEA (5 mM, C_6D_6)	37
^{19}F NMR spectrum of (<i>R</i>)- 1 $\times$ (<i>RS</i>)-PEA (5 mM, C_6D_6)	38
^1H NMR spectrum of (<i>RS</i>)- 1 $\times$ (<i>S</i>)-PEA (5 mM, C_6D_6)	39
^{19}F NMR spectrum of (<i>RS</i>)- 1 $\times$ (<i>S</i>)-PEA (5 mM, C_6D_6)	40
^1H NMR spectrum of (<i>RS</i>)- 2 $\times$ (<i>S</i>)-PEA (5 mM, C_6D_6)	41
^{19}F NMR spectrum of (<i>RS</i>)- 2 $\times$ (<i>S</i>)-PEA (5 mM, C_6D_6)	42
^1H NMR spectrum of (<i>R</i>)- 3 $\times$ (<i>RS</i>)-PEA (5 mM, C_6D_6)	43
^{19}F NMR spectrum of (<i>R</i>)- 3 $\times$ (<i>RS</i>)-PEA (5 mM, C_6D_6)	44
^{19}F NMR spectrum of (<i>RS</i>)- 1 $\times$ (1 <i>R</i> ,2 <i>S</i>)-EPH	45
^{19}F NMR spectrum of (<i>RS</i>)- 2 $\times$ (1 <i>R</i> ,2 <i>S</i>)-EPH	46





















































































