## Metabolomics Analysis and Biomarker Identification for Brains of Rats Exposed Subchronically to the Mixtures of Low-Dose Cadmium and Chlorpyrifos

Ming-Yuan Xu, §, ‡ Ying-Jian Sun, §, † Pan Wang, § Hai-Yang Xu, ¸, Li-Ping Chen, ¸, Li
Zhu, ¸, Yi-Jun Wu \*, §

§ Laboratory of Molecular Toxicology, State Key Laboratory for Integrated

Management of Pest Insects and Rodents, Institute of Zoology, Chinese Academy of

Sciences, 1-5 Beichenxi Road, Beijing 100101, PR China

<sup>†</sup> Department of Veterinary Medicine and Animal Science, Beijing University of Agriculture, Beijing 102206, PR China

<sup>‡</sup> University of Chinese Academy of Sciences, Beijing 100049, PR China

\*Author for correspondence: Yi-Jun Wu, Institute of Zoology, CAS, 1-5 Beichenxi Road, Beijing 100101, P. R. China

E-mail: wuyj@ioz.ac.cn; Tel: 86-10-64807251; Fax: 86-10-64807099.

## **Table of Contents Graphic**





Table S1. Experimental Design for Joint Effects of Cadmium (Cd, mg/kg) and Chlopyrifos (CPF, mg/kg)

Group	Cadmium	Chlopyrifos
Control	0	0
Cd-L	0.7	0
Cd-M	2	0
Cd-H	6	0
CPF-L	0	1.7
CPF-M	0	5
CPF-H	0	15
Cd-L + CPF-L	0.7	1.7
Cd-L + CPF-M	0.7	5
Cd-L + CPF-H	0.7	15
Cd-M + CPF-L	2	1.7
Cd-M + CPF-M	2	5
Cd-M + CPF-H	2	15
Cd-H + CPF-L	6	1.7
Cd-H + CPF-M	6	5
Cd-H + CPF-H	6	15

Abbreviations: Cd, cadmium; CPF, chlorpyrifos; L, low level; M, middle level; H, high level.



**Figure S1.** The PLS-DA score plots of rat brain metabolite profiles. Rats were administrated orally with Cd and CPF at respective doses of 0.7 and 1.7 mg/kg/day (L), 2 and 5 mg/kg/day (M), 6 and 15 mg/kg/day (H), and their mixtures, respectively, for 90 days. After that the brain metabonomics of rats were measured by GC-MS. Blank ellipse: control group; Blue ellipse: Cd-treated groups; Red ellipse: CPF-treated groups; Green ellipse: Cd plus CPF-treated groups. Abbreviations: CON, control; L, low dose; M, middle dose; H, high dose; Cd, cadmium; CPF, chlorpyrifos.