

Effect of some essential oils on phagocytosis and complement system activity

Renato Pérez-Rosés, Ester Risco, Roser Vila, Pedro Peñalver and Salvador Cañigueral

Journal of Agricultural and Food Chemistry

Supplementary data

Physical data of the essential oils and fractions tested

Essential oils and fractions	Optical rotation	Refractive index	Relative density
Bay laurel	-12,40 °	1,462	0,916
Bornyl acetate + isobornyl acetate	-8,90 °	1,461	0,981
Cajuput	-0,15 °	1,466	0,916
Clove	-1,15 °	>1,520	1,037
Clove terpenes	-9,20 °	1,498	0,901
Coriander	+10,00 °	1,461	0,864
Ginger	-23,60 °	1,485	0,884
Juniper	-6,10 °	1,472	0,860
Lemon	+65,35 °	1,472	0,848
Lemon terpenes	+40,75 °	1,469	0,843
Niaouli	-0,60 °	1,465	0,905
Nutmeg	+31,05 °	1,475	0,904
Nutmeg terpenes	+6,95 °	1,470	0,874
Palmarosa	+0,60 °	1,472	0,881
Red thyme	+1,33 °	1,500	0,922
Rosemary	-0,70 °	1,464	0,905
Spanish oregano	-2,86 °	1,506	0,935
Tarragon	+3,45 °	1,513	0,937
Tea tree	+8,60 °	1,477	0,898