# Supporting Information

L. Kersten, K. Harms and G. Hilt\*

"Synthesis of Tri-, Tetra- and Pentacarbonyl Derivatives via Ozonolysis of 1,4-Dienes and Cyclization to Polyaromatic Systems"


#### **Content:**

X-ray crystal structures of compounds 45 and 47	S 2
$^{1}H / ^{13}C{^{1}H}$ NMR spectra	S 3 – S 42


Corresponding author: Prof. Dr. Gerhard Hilt Fachbereich Chemie Philipps-Universität Marburg Hans-Meerwein-Straße 35043 Marburg Germany

Hilt@chemie.uni-marburg.de

X-ray crystal structure of compound 45




X-ray crystal structure of compound 47




The crystal structures have been deposited at the Cambridge Crystallographic Data Centre and allocated the deposition number CCDC 1027957 and CCDC 1027958.


# 2-Allyl-4,5-dimethylbenzaldehyde (13)










# 4,5-Dimethyl-2-(2-methylallyl)benzaldehyde (12)





2-(4,5-Dimethyl-2-methylenhex-4-enyl)benzaldehyde (25)














Intermediate: 1-(4,5-Dimethyl-2-(2-methylallyl)phenyl)but-3-en-1-ol




Intermediate: 1-(2-(4,5-Dimethyl-2-methylenhex-4-enyl)-4,5-dimethylphenyl)but-3-en-1-ol




# Intermediate: 1-(2-Allyl-4,5-dimethylphenyl)-3-methylbut-3-en-1-ol



Intermediate: 1-(4,5-Dimethyl-2-(2-methylallyl)phenyl)-3-methylbut-3-en-1-ol




Intermediate: 1-(2-(4,5-Dimethyl-2-methylenhex-4-enyl)-4,5-dimethylphenyl)-3-methylbut-3-en-1ol




Intermediate: 1-(4,5-Dimethyl-2-(2-methylallyl)phenyl)-5,6-dimethyl-3-methylenhept-5-en-1-ol


Intermediate: 1-(2-(4,5-Dimethyl-2-methylenhex-4-enyl)-4,5-dimethylphenyl)-5,6-dimethyl-3-methylenhept-5-en-1-ol





1-(2-(4,5-Dimethyl-2-methylenehex-4-enyl)-4-methylphenyl)-5,6-dimethyl-3-methylenhept-5-en-1ol (50)





# 1-(2-Allyl-4,5-dimethylphenyl)but-3-en-1-one (16)














1-(4,5-Dimethyl-2-(2-methylallyl)phenyl)-3-methylbut-3-en-1-one (20)




# 1-(4,5-Dimethyl-2-(2-methylallyl)phenyl)but-3-en-1-one (17)

1-(4,5-Dimethyl-2-(2-methylallyl)phenyl)-5,6-dimethyl-3-methylenehept-5-en-1-one (22)






1-(2-(4,5-Dimethyl-2-methylenhex-4-enyl)-4,5-dimethylphenyl)but-3-en-1-one (18)




1-(2-(4,5-Dimethyl-2-methylenhex-4-enyl)-4,5-dimethylphenyl)-3-methylbut-3-en-1-one (21)


1-(2-(4,5-Dimethyl-2-methylenhex-4-enyl)-4,5-dimethylphenyl)-5,6-dimethyl-3-methylenhept-5-en-1-one (7)




1-(2-(4,5-Dimethyl-2-methylenehex-4-enyl)-4-methylphenyl)-5,6-dimethyl-3-methylenehept-5-en-1-one (51)




# 1-(3-Hydroxy-6,7-dimethylnaphthalene-2-yl)ethanone (27)




# 1-(1-Hydroxy-6,7-dimethylnaphthalen-2-yl)ethanon (29)




1-(2-((1,2,4-Trioxolan-3-yl)methyl)-4,5-dimethylphenyl)-2-(3-methyl-1,2,4-trioxolan-3-yl)ethanon (28)




# 1-Hydroxy-6,7-dimethyl-2-naphthaldehyd (31)









#### Compound 32








#### Compound 34




# 1-Hydroxy-3,6,7-trimethyl-2-naphthaldehyde (37)









# 2,5,8,9-Tetramethyl-4*H*-benzo[*h*]chromen-4-one (40)




# 1-(3-Acetyl-4-hydroxy-6,7-dimethylnaphthalene-2-yl)propan-2-one (41)






# 1-Hydroxy-6,7-dimethyl-3-(2-oxopropyl)-2-naphthaldehyde (42)


# Trioxaadamantane 45 (main isomer)




#### Trioxaadamantane 46 (minor isomer)

proposed structures for trioxaadamantane 46:






# 2,8,9-Trimethyl-5-(2-oxopropyl)-4H-benzo[h]chromene-4-one (48)



3,3'-Diacetyl-4,4'-dihydroxy-2,2',6,6',7,7'-hexamethyl-9,9'-bianthracene-10,10'(9H,9'H)-dione (47)



110 100 f1 (ppm)

.  

# 2-Acetyl-1-hydroxy-3,6,7-trimethylanthracene-9,10-dione (9)

KWANZOQUINONE A (44)

