

Covalent grafting of chitosan on stainless steel through aryldiazonium self-adhesive layers

Xuan Tuan Le^{1,}, Ngoc Duc Doan², Thomas Dequivre^{1,3}, Pascal Viel⁴, Serge Palacin⁴*

AUTHOR ADDRESS

1) MiQro Innovation Collaborative Centre (C2MI), 45, boul. de l'Aéroport, Bromont (Québec), Canada.

2) Department of Chemistry, Université de Montréal, C.P. 6128, succursale Centre-ville
Montréal (Québec) H3C 3J7, Canada.

3) Interdisciplinary Institute for Technological Innovation (3IT), Université de Sherbrooke, 3000 boul. de
l'Université, Sherbrooke (Québec), Canada.

4) Laboratory of Innovation in Chemistry of Surfaces and Nanosciences, CEA Saclay, IRAMIS /NIMBE, F-
91191, Gif-sur-Yvette Cedex, France.

** Email Address: xuan.tuan.le@ulb.ac.be*

Table of Contents

Figure S1. XPS Fe 2p spectra of bare stainless steel (a) and PAP-grafted steel samples (b)	2
Figure S2. XPS survey and C 1s core-level spectra recorded on the surface of polyphenyl-polyacrylic acid grafted steel sample	3




Figure S1. XPS Fe 2p spectra of bare stainless steel (a) and PAP-grafted steel samples (b)




Figure S2. XPS survey and C 1s core-level spectra recorded on the surface of polyphenyl-polyacrylic acid grafted steel sample.