Supporting Information

Absolute Asymmetric Photocyclization of Triisopropylbenzophenone Derivatives in Crystals and their Morphological Changes

Hideko Koshima,*[,†] Michitaro Fukano,[†] Naoko Ojima,[†] Kohei Johmoto,[‡] Hidehiro Uekusa,[‡] and Motoo Shiro[§]

[†] Department of Materials Science and Biotechnology, Graduate School of Science and Engineering, Ehime University, Matsuyama, Ehime 790-8577, Japan

[‡] Department of Chemistry and Materials Science, Tokyo Institute of Technology, 2, Ookayama, Meguro-ku, Tokyo 152-8551, Japan

[§] Rigaku Corporation, 3-9-12, Matsubara, Akishima, Tokyo 196-8666, Japan



Figure S1. ^{1}H NMR of **1**



Figure S2. ^{13}C NMR of **1**



Figure S3. ^{1}H NMR of **2**



Figure S4. ^{13}C NMR of **2**

Figure S5. ^{1}H NMR of **3**



Figure S6. ^{13}C NMR of **3**



Figure S7. ^{1}H NMR of (*R*)-**4** in 94% ee



Figure S8. ^{13}C NMR of (*R*)-**4** in 94% ee



Figure S9. ^{1}H NMR of racemic **4**



Figure S10. ^{13}C NMR of racemic **4**



Figure S11. Labeled ORTEP diagram for **1**.



Figure S12. Labeled ORTEP diagram for *M*-**1**.



Figure S13. Labeled ORTEP diagram for **2**.



Figure S14. Labeled ORTEP diagram for **3**.



Figure S5. Labeled ORTEP diagram for (*Rac*)-**4**.