

checkCIF/PLATON report

You have not supplied any structure factors. As a result the full set of tests cannot be run.

THIS REPORT IS FOR GUIDANCE ONLY. IF USED AS PART OF A REVIEW PROCEDURE FOR PUBLICATION, IT SHOULD NOT REPLACE THE EXPERTISE OF AN EXPERIENCED CRYSTALLOGRAPHIC REFEREE.

No syntax errors found. CIF dictionary Interpreting this report

Datablock: tp

Bond precision:	C-C = 0.0043 Å	Wavelength=0.71073
Cell:	a=9.3204(6)	b=9.4066(6) c=14.4848(9)
	alpha=86.673(1)	beta=71.757(1) gamma=68.444(1)
Temperature:	293 K	
	Calculated	Reported
Volume	1119.41(12)	1119.41(12)
Space group	P -1	P-1
Hall group	-P 1	?
Moiety formula	C23 H18 Cl Cr F O P	?
Sum formula	C23 H18 Cl Cr F O P	C23 H18 Cl Cr F O P
Mr	447.79	447.79
Dx,g cm-3	1.329	1.329
Z	2	2
Mu (mm-1)	0.720	0.720
F000	458.0	458.0
F000'	459.30	
h,k,lmax	11,11,17	11,11,17
Nref	4451	4310
Tmin,Tmax	0.834,0.904	0.818,0.906
Tmin'	0.812	

Correction method= MULTI-SCAN

Data completeness= 0.968 Theta(max)= 26.110

R(reflections)= 0.0383(3652) wR2(reflections)= 0.1050(4310)

S = 1.048 Npar= 253

The following ALERTS were generated. Each ALERT has the format
test-name_ALERT_alert-type_alert-level.
Click on the hyperlinks for more details of the test.

● Alert level C

ABSTY02_ALERT_1_C An _exptl_absorpt_correction_type has been given without
a literature citation. This should be contained in the
_exptl_absorpt_process_details field.
Absorption correction given as multi-scan
PLAT029_ALERT_3_C _diffn_measured_fraction_theta_full Low 0.968
PLAT242_ALERT_2_C Check Low Ueq as Compared to Neighbors for Cr1

● Alert level G

PLAT005_ALERT_5_G No _iucr_refine_instructions_details in the CIF ? Do !
PLAT154_ALERT_1_G The su's on the Cell Angles are Equal 0.00100 Deg.
PLAT199_ALERT_1_G Check the Reported _cell_measurement_temperature 293 K
PLAT200_ALERT_1_G Check the Reported _diffn_ambient_temperature 293 K
PLAT605_ALERT_4_G Structure Contains Solvent Accessible VOIDS of . 140 A**3
PLAT869_ALERT_4_G ALERTS Related to the use of SQUEEZE Suppressed ! Info

0 **ALERT level A** = Most likely a serious problem - resolve or explain
0 **ALERT level B** = A potentially serious problem, consider carefully
3 **ALERT level C** = Check. Ensure it is not caused by an omission or oversight
6 **ALERT level G** = General information/check it is not something unexpected

4 ALERT type 1 CIF construction/syntax error, inconsistent or missing data
1 ALERT type 2 Indicator that the structure model may be wrong or deficient
1 ALERT type 3 Indicator that the structure quality may be low
2 ALERT type 4 Improvement, methodology, query or suggestion
1 ALERT type 5 Informative message, check

It is advisable to attempt to resolve as many as possible of the alerts in all categories. Often the minor alerts point to easily fixed oversights, errors and omissions in your CIF or refinement strategy, so attention to these fine details can be worthwhile. In order to resolve some of the more serious problems it may be necessary to carry out additional measurements or structure refinements. However, the purpose of your study may justify the reported deviations and the more serious of these should normally be commented upon in the discussion or experimental section of a paper or in the "special_details" fields of the CIF. checkCIF was carefully designed to identify outliers and unusual parameters, but every test has its limitations and alerts that are not important in a particular case may appear. Conversely, the absence of alerts does not guarantee there are no aspects of the results needing attention. It is up to the individual to critically assess their own results and, if necessary, seek expert advice.

Publication of your CIF in IUCr journals

A basic structural check has been run on your CIF. These basic checks will be run on all CIFs submitted for publication in IUCr journals (*Acta Crystallographica*, *Journal of Applied Crystallography*, *Journal of Synchrotron Radiation*); however, if you intend to submit to *Acta Crystallographica Section C* or *E*, you should make sure that full publication checks are run on the final version of your CIF prior to submission.

Publication of your CIF in other journals

Please refer to the *Notes for Authors* of the relevant journal for any special instructions relating to CIF submission.

