

Supporting Information

The Growth of Ultralong ZnTe Micro/Nanostructures: The Influence of Polarity and Twin Direction on The Morphogenesis of Nanobelts and Nanosheets

Muhammad Iqbal Bakti Utama,^{#,†} Maria de la Mata,^{#,‡} Qing Zhang,[†] Cesar Magen,[§] Jordi Arbiol,^{*,‡,||} and Qihua Xiong^{*,†,⊥}

[†] Division of Physics and Applied Physics, School of Physical and Mathematical Sciences, Nanyang Technological University, Singapore 637371

[‡] Institut de Ciència de Materials de Barcelona, ICMAB-CSIC, E-08193 Bellaterra, CAT, Spain

[§] Laboratorio de Microscopías Avanzadas (LMA), Instituto de Nanociencia de Aragon (INA) - ARAID and Departamento de Física de la Materia Condensada, Universidad de Zaragoza, 50018 Zaragoza, Spain

^{||} Institució Catalana de Recerca i Estudis Avançats (ICREA), 08010 Barcelona, CAT, Spain

[⊥] Division of Microelectronics, School of Electrical and Electronic Engineering, Nanyang Technological University, Singapore 639798

[#] These authors contributed equally to this paper

^{*} To whom correspondence should be addressed: arbiol@icrea.cat, Qihua@ntu.edu.sg




Fig. S1 AFM image and height profile of two different ZnTe nanobelts. The nanobelts have a thickness of 99.8 nm and 86.5 nm, respectively.