

Supplemental Information

Long Range Ordering of Symmetric Block-Copolymer Domains by Chaining of Superparamagnetic Nanoparticles in External Magnetic Fields

Vinay Raman[†], Arijit Bose[‡], Bradley D. Olsen^{†}, T. Alan Hatton^{*†}*

^{*}, [†] Department of Chemical Engineering, Massachusetts Institute of Technology

Cambridge, MA – 02139

[‡]Department of Chemical Engineering, University of Rhode Island

Kingston, RI – 02881

Corresponding Author:

T. Alan Hatton

Department of Chemical Engineering, Massachusetts Institute of Technology

77 Massachusetts Avenue, Cambridge, MA - 02139

(Tel.): 1-617-253-4588

(Email): tahatton@mit.edu

Bradley D. Olsen

Department of Chemical Engineering, Massachusetts Institute of Technology

77 Massachusetts Avenue, Cambridge, MA - 02139

(Tel.): 1-617-715-4548

(Email): bdolsen@mit.edu




Figure S1. Effect of neutral nanoparticles on BCP alignment, $\lambda = 9$, $L = 32R_g$, $\chi_{BP}N=0$, $\chi_{AP}N=0$, $\chi_{AB}N=20$, $R_P = 0.51R_g$; (a) $\Phi_p=0.06$, (b) $\Phi_p=0.08$, (c) $\Phi_p=0.1$, (d) $\Phi_p=0.16$