

**A high compliance randomised controlled field trial of solar disinfection (SODIS) of drinking water  
and its impact on childhood diarrhoea in rural Cambodia.**

**Kevin G McGuigan<sup>1\*</sup>, Priyajit Samaiyar<sup>2</sup>, Martella du Preez<sup>3</sup>, Ronán M Conroy<sup>4</sup>**

<sup>1</sup>Department of Physiology & Medical Physics ,Royal College of Surgeons in Ireland, 123 St Stephens Green, Dublin 2, Ireland.

<sup>2</sup>CARE International in Cambodia (CIC), P.O. Box 537, House 52 Street 352, Phnom Penh, Cambodia

<sup>3</sup>Natural Resources and the Environment, CSIR, P.O. Box 395, Pretoria, South Africa.

<sup>4</sup>Division of Population Health Sciences, Royal College of Surgeons in Ireland, 123 St Stephens Green, Dublin 2, Ireland.

**Supporting Information**

\*Author for Correspondence:

Phone: +353 (0)1 4022207; E-mail: [kmcguigan@rcsi.ie](mailto:kmcguigan@rcsi.ie)

**Supporting Information Figure Captions**

	<b>Page</b>
<b>Figure 1.</b> Map of Cambodia showing the project areas in Prey Veng (a), Svey Rieng (b) and the capital city Phnom Penh (c).	S3
<b>Figure 2.</b> Photograph of an unprotected borehole fitted with a hand-pump as used by 95% of the study households.	S4
<b>Figure 3.</b> Photograph of one of the surface pond water sources used by ~5% of the study households.	S5
<b>Figure 4.</b> Photograph of a 300 litre lidded cement water storage container used by ~70% of the study population.	S6
<b>Figure 5.</b> Photograph showing the standard arrangement for SODIS exposure at a study household. The bottles and the sheet of corrugated iron platform upon which they are resting, were provided by the project.	S7