

# SUPPORTING INFORMATION FOR

## Tandem Cyclization-Michael Reaction by Combination of Metal- and Organocatalysis \*\*

**José Alemán,<sup>†\*</sup> Virginia del Solar,<sup>‡</sup> Cecilia Martín-Santos,<sup>‡</sup> Leticia Cubo,<sup>‡</sup> Carmen Navarro Ranninger<sup>‡</sup>**

<sup>†</sup> Departamento de Química Orgánica (C-1)

<sup>‡</sup> Departamento de Química Inorgánica (C-7)

Universidad Autónoma de Madrid.


Cantoblanco, 28049-Madrid (Spain)

Fax: (+) 3491497466


E-mail: [jose.aleman@uam.es](mailto:jose.aleman@uam.es),

### Contents



<sup>1</sup> H-NMR and <sup>13</sup> C-NMR spectra	S1
Racemic and Optically enriched HPLC Chromatograms	S22
NOESY of compound <b>14</b>	S25




**Figure S1.**  $^1\text{H}$ -NMR and  $^{13}\text{C}$ -NMR of compound **1c**.




**Figure S2.** <sup>1</sup>H-NMR and <sup>13</sup>C-NMR of compound 2a.





**Figure S3.** <sup>1</sup>H-NMR and <sup>13</sup>C-NMR of compound 2b.




**Figure S4.** <sup>1</sup>H-NMR and <sup>13</sup>C-NMR of compound **2c**.




**Figure S5.**  $^1\text{H}$ -NMR and  $^{13}\text{C}$ -NMR of compound 3.





**Figure S6.** <sup>1</sup>H-NMR and <sup>13</sup>C-NMR of compound 4a.





**Figure S7.** <sup>1</sup>H-NMR and <sup>13</sup>C-NMR of compound 4b.




**Figure S8.** <sup>1</sup>H-NMR and <sup>13</sup>C-NMR of compound **4c**.




**Figure S9.** <sup>1</sup>H-NMR and <sup>13</sup>C-NMR of compound 4d.




**Figure S10.** <sup>1</sup>H-NMR and <sup>13</sup>C-NMR of compound 4e.





**Figure S11.**  $^1\text{H}$ -NMR and  $^{13}\text{C}$ -NMR of compound 4f.




**Figure S12.** <sup>1</sup>H-NMR and <sup>13</sup>C-NMR of compound **4g/4g'**.




**Figure S13.** <sup>1</sup>H-NMR and <sup>13</sup>C-NMR of compound **4h/4h'**.




**Figure S14.**  $^1\text{H}$ -NMR and  $^{13}\text{C}$ -NMR of compound 4i.




**Figure S15.**  $^1\text{H}$ -NMR and  $^{13}\text{C}$ -NMR of compound 8a.




**Figure S16.**  $^1\text{H}$ -NMR and  $^{13}\text{C}$ -NMR of compound 9a.




**Figure S17.**  $^1\text{H}$ -NMR and  $^{13}\text{C}$ -NMR of compound 14a.





**Figure S18.**  $^1\text{H}$ -NMR and  $^{13}\text{C}$ -NMR of compound 16a.





**Figure S19.**  $^1\text{H}$ -NMR and  $^{13}\text{C}$ -NMR of compound 16b.





**Figure S20.**  $^1\text{H}$ -NMR of compound **16c**.<sup>Error! Bookmark not defined.</sup>




**Figure S-21.** Racemic and Optically enriched HPLC Chromatogram of compound **16a**.



**Figure S-22.** Racemic and Optically enriched HPLC Chromatogram of compound **16b**.



**Figure S23.** Racemic and Optically enriched HPLC Chromatogram of compound *ent*-**16c**.



**Figure S24.** NOESY-NMR of compound **14**.