

Supporting Information for:
Selectivity Control in Alkylidene Carbene-Mediated C-H Insertion and
Allene Formation

Jun-Cheng Zheng, Sang Young Yun, Chunrui Sun, Nam-Kyu Lee and Daesung Lee*

Department of Chemistry, University of Illinois at Chicago
845 W. Taylor Street, Chicago, Illinois, 60607

E-mail: dsunglee@uic.edu

Table of Contents

I. Complete ref.12a	S1
II. ¹ H and ¹³ C NMR Spectra	S2

Complete ref.12a

(12) (a) Wang, J.; Soisson, S. M.; Young, K.; Shoop, W.; Kodali, S.; Galgoci, A.; Painter, R.; Parthasarathy, G.; Tang, Y. S.; Cummings, R.; Ha, S.; Dorso, K.; Mary, M.; Jayasuriya, H.; Ondeyka, J.; Herath, K.; Zhang, C.; Hernandez, L.; Allocco, J.; Basillo, A.; Tormo, J. R.; Genilloud, O.; Vicente, F.; Pelaez, F.; Colwell, L.; Lee, S. H.; Michael, B.; Felcetto, T.; Gill, C.; Silver, L.; Hermes, J. D.; Bartizal, K.; Barrett, J.; Schmatz, D.; Becker, J. W.; Cully, D.; Singh, S. B. *Nature* **2006**, *441*, 358.

^1H and ^{13}C NMR Spectra























































































































