

SUPPORTING INFORMATION

Chemical Composition of French Mimosa Absolute Oil

Rodolphe Perriot¹, Katharina Breme¹, Nicolas Baldovini¹, Elise Carenini, Georges Ferrando², and
Uwe J. Meierhenrich¹

¹ LCMBA, UMR CNRS 6001, Université de Nice-Sophia Antipolis, Parc Valrose,
06108 Nice Cedex 2, France.

² Albert Vieille S.A.S., 629 route de Grasse BP 217, 06227 Vallauris, France.

¹ Corresponding author: N. Baldovini, LCMBA, UMR CNRS 6001, Université de Nice-Sophia Antipolis, Parc Valrose, 06108 Nice Cedex 2, France. E-mail: Nicolas.Baldovini@unice.fr; phone: +33492076133.

Table S1. Results of GC/FID and GC-MS analyses of HS-SPME, fractions, and liquid injections of mimosa absolute oil.

Compound	<i>LRI</i> ^a	<i>LRI</i> ^a	% ^b	Identification method	CAS RN
	HP-1	HP-20M			
butanone	619	-	tr	<i>LRI</i> , MS, Odor, Std	78-93-3
pent-1-en-3-ol	677	-	tr	<i>LRI</i> , MS, Odor, Std	616-25-1
pentanal	686	-	tr	<i>LRI</i> , MS, Odor, Std	110-62-3
ethyl propanoate	700	-	tr	<i>LRI</i> , MS, Odor, Std	105-37-3
(<i>E</i>)-pent-2-enal	720	-	tr	<i>LRI</i> , MS, Odor, Std	1576-87-0
ethyl isobutanoate	743	-	tr	<i>LRI</i> , MS, Odor, Std	97-62-1
(<i>Z</i>)-pent-2-en-1-ol	753	-	tr	<i>LRI</i> , MS, Odor, Std	1576-95-0
hexanal	777	1128	tr	<i>LRI</i> , MS, Odor, Std	66-25-1
ethyl butanoate	785	-	tr	<i>LRI</i> , MS, Odor, Std	105-54-4
(<i>E</i>)-hex-2-enal	828	1195	tr	<i>LRI</i> , MS, Odor, Std	6728-26-3
(<i>Z</i>)-hex-3-en-1-ol	836	1348	tr	<i>LRI</i> , MS, Odor, Std	928-96-1
(<i>E</i>)-hex-2-en-1-ol	846	1370	tr	<i>LRI</i> , MS, Odor, Std	928-95-0
hexan-1-ol	849	1320	tr	<i>LRI</i> , MS, Odor, Std	111-27-3
propanoic acid	852	1498	tr	<i>LRI</i> , MS, Std	79-09-4

heptanal	876	1177	tr	<i>LRI</i> , MS, Odor, Std	111-71-7
ethyl pentanoate	881	-	tr	<i>LRI</i> , MS, Odor, Std	539-82-2
nonane	897	-	tr	<i>LRI</i> , MS, Std	111-84-2
benzaldehyde	932	1473	tr	<i>LRI</i> , MS, Std	100-52-7
heptan-1-ol	953	1421	tr	<i>LRI</i> , MS, Std	111-70-6
oct-1-en-3-ol	955		tr	<i>LRI</i> , MS, Odor, Std	3391-86-4
6-methylhept-5-en-2-one	958	-	tr	<i>LRI</i> , MS, Odor, Std	110-93-0
hexanoic acid	961	1800	tr	<i>LRI</i> , MS, Std	142-62-1
(<i>E,E</i>)-hepta-2,4-dienal	966	1448	tr	<i>LRI</i> , MS, Std	4313-03-5
(<i>Z</i>)-hex-3-enoic acid	973	-	tr	MS	1775-43-5
octanal	981	1262	tr	<i>LRI</i> , MS, Std	124-13-0
ethyl hexanoate	981	1213	tr	<i>LRI</i> , MS, Odor, Std	123-66-0
(<i>Z</i>)-hex-3-enyl acetate	986	1290	tr	<i>LRI</i> , MS, Std	3681-71-8
(<i>E</i>)-hex-2-enoic acid ^t	990	-	tr	MS	13419-69-7
benzyl alcohol	1004	1816	0.1	<i>LRI</i> , MS, Std	100-51-6
phenylacetaldehyde	1010	1587	tr	<i>LRI</i> , MS, Odor, Std	122-78-1
eucalyptol	1024	1192	tr	<i>LRI</i> , MS, Odor, Std	470-82-6
(<i>E</i>)-oct-2-enal	1031	1391	tr	<i>LRI</i> , MS, Odor, Std	2548-87-0
<i>p</i> -cresol	1048	-	tr	<i>LRI</i> , MS, Odor, Std	106-44-5

benzyl formate	1049	1633	tr	<i>LRI</i> , MS, Odor, Std	104-57-4
<i>cis</i> -linalool oxide furanoid ^t	1042	-	tr	<i>LRI</i> , MS	5989-33-3
octan-1-ol	1053	1523	tr	<i>LRI</i> , MS, Std	111-87-5
(<i>E</i>)-oct-2-en-1-ol ^t	1057	1576	tr	<i>LRI</i> , MS, Odor	18409-17-1
guaiacol	1064	-	tr	<i>LRI</i> , MS, Odor, Std	90-05-1
heptanoic acid	1067	1904	0.1	<i>LRI</i> , MS, Std	111-14-8
methyl benzoate	1070	1569	tr	<i>LRI</i> , MS, Odor, Std	93-58-3
nonan-2-one	1072	1357	tr	<i>LRI</i> , MS, Std	821-55-6
maltol	1075	1888	tr	<i>LRI</i> , MS, Std	118-71-8
ethyl heptanoate	1081	1311	tr	<i>LRI</i> , MS, Std	106-30-9
linalool	1086	1515	tr	<i>LRI</i> , MS, Std	78-70-6
nonanal	1083	1365	tr	<i>LRI</i> , MS, Odor, Std	124-19-6
2-phenethyl alcohol	1084	1850	0.3	<i>LRI</i> , MS, Odor, Std	60-12-8
(<i>E,Z</i>)-nona-2,6-dienal	1124	1541	tr	<i>LRI</i> , MS, Odor, Std	557-48-2
benzyl acetate	1134	1678	0.1	<i>LRI</i> , MS, Odor, Std	140-11-4
(<i>E</i>)-non-2-enal	1136	1495	tr	<i>LRI</i> , MS, Odor, Std	18829-56-6
benzoic acid	1137	2347	tr	<i>LRI</i> , MS, Std	65-85-0
ethyl benzoate	1147	1614	tr	<i>LRI</i> , MS, Odor, Std	93-89-0
<i>cis</i> -linalool oxide pyranoid ^t	1148	-	tr	<i>LRI</i> , MS	14009-71-3

<i>trans</i> -linalool oxide pyranoid ^t	1156	-	tr	<i>LRI</i> , MS	39028-58-5
octanoic acid	1159	2011	tr	<i>LRI</i> , MS, Std	124-07-2
methyl salicylate	1172	-	tr	<i>LRI</i> , MS, Std	119-36-8
ethyl octanoate	1180	1410	tr	<i>LRI</i> , MS, Std	106-32-1
1,1-diethoxyheptane ^t	1180	-	tr	MS	688-82-4
decanal	1188	1468	tr	<i>LRI</i> , MS, Odor, Std	112-31-2
dodecane	1200	1201	tr	<i>LRI</i> , MS, Std	112-40-3
anisaldehyde	1210	1948	tr	<i>LRI</i> , MS, Std	123-11-5
2-phenethyl acetate	1227	1763	tr	<i>LRI</i> , MS, Std	103-45-7
(<i>E</i>)-dec-2-enal	1239	-	tr	<i>LRI</i> , MS, Odor, Std	3913-81-3
<i>p</i> -anisyl alcohol	1246	2199	tr	<i>LRI</i> , MS, Std	105-13-5
nonanoic acid	1257	2117	0.1	<i>LRI</i> , MS, Std	112-05-0
(<i>E</i>)-anethole	1264	-	tr	<i>LRI</i> , MS, Std	4180-23-8
1,1-diethoxyoctane ^t	1274	-	tr	MS	54889-48-4
ethyl nonanoate	1279	1511	tr	<i>LRI</i> , MS, Std	123-29-5
<i>p</i> -vinylguaiacol	1285	2123	tr	<i>LRI</i> , MS, Std	7786-61-0
undecanal	1287	1570	tr	<i>LRI</i> , MS, Std	112-44-7
tridecane	1300	1301	tr	<i>LRI</i> , MS, Std	629-50-5
eugenol	1333	-	tr	<i>LRI</i> , MS, Std	97-53-0

(<i>E</i>)-8-hydroxylinalool	1333	2247	tr	MS	75991-61-6
undec-3-enal ^{c, t}	1335	-	tr	MS	-
methyl <i>p</i> -anisate	1342	2021	0.1	<i>LRI</i> , MS, Odor, Std	121-98-2
(<i>Z</i>)-undec-2-enal	1343	-	tr	<i>LRI</i> , MS, Std	53448-07-0
vanillin	1354	2464	tr	<i>LRI</i> , MS, Odor, Std	121-33-5
decanoic acid	1350	2225	tr	<i>LRI</i> , MS, Std	334-48-5
(<i>Z</i>)-jasmone	1370	1878	tr	<i>LRI</i> , MS, Odor, Std	488-10-8
1,1-diethoxynonane ^t	1374	1492	tr	MS	54815-13-3
<i>p</i> -anisyl acetate ^t	1376	2083	tr	<i>LRI</i> , MS, Std	104-21-2
ethyl decanoate	1378	1610	tr	<i>LRI</i> , MS, Std	110-38-3
<i>p</i> -anisic acid	1384	2766	tr	<i>LRI</i> , MS, Std	100-09-4
dodecanal ^t	1387	-	tr	<i>LRI</i> , MS	112-54-9
tetradec-1-ene	1390	1437	tr	<i>LRI</i> , MS, Std	1120-36-1
tetradecane	1398	1400	tr	<i>LRI</i> , MS, Std	629-59-4
isopentyl benzoate ^t	1408	1860	tr	<i>LRI</i> , MS	94-46-2
ethyl <i>p</i> -anisate	1418	2065	tr	<i>LRI</i> , MS, Odor, Std	94-30-4
ethyl cinnamate	1436	2063	tr	<i>LRI</i> , MS, Std	103-36-6
phytane ^t	1465	-	tr	MS	638-36-8
1,1-diethoxydecane ^t	1473	-	tr	MS	5895-59-0

pentadecene ^t	1478	1515	tr	MS	13360-61-7
dihydroactinidiolide ^t	1478	-	tr	MS	17092-92-1
pentadecene ^{c, t}	1480	1518	tr	MS	-
tridecanal ^t	1489	-	tr	<i>LRI</i> , MS	34764-02-8
(<i>E,E</i>)- α -farnesene ^t	1495	-	tr	<i>LRI</i> , MS	125037-13-0
pentadecane	1500	1504	0.2	<i>LRI</i> , MS, Std	629-62-9
1-phenylpent-1-en-3-one ^t	1511	-	tr	MS	3152-68-9
propiovanillone ^t	1532	2601	tr	MS	1835-14-9
(<i>Z</i>)-hex-3-enyl benzoate	1548	-	tr	<i>LRI</i> , MS, Std	25152-85-6
dodecanoic acid	1544	2432	tr	<i>LRI</i> , MS, Std	143-07-7
hexadecene ^{c, t}	1574	1612	0.1	MS	-
ethyl dodecanoate	1576	-	tr	<i>LRI</i> , MS, Std	106-33-2
hexadecene ^{c, t}	1577	-	tr	MS	-
tetradecanal	1588	-	tr	<i>LRI</i> , MS	124-25-4
hexadecane	1596	1600	tr	<i>LRI</i> , MS, Std	544-76-3
3-oxo- α -ionol ^t	1602	2539	0.1	MS	1000108-73-8
tetradecan-1-ol	1661	2121	tr	<i>LRI</i> , MS, Std	112-72-1
heptadecadiene ^{c, t}	1663	-	0.1	MS	-
pentadecan-2-one ^t	1678	1985	tr	<i>LRI</i> , MS	2345-28-0

(<i>Z</i>)-heptadec-8-ene	1680	1719	4.4	<i>LRI</i> , MS, Std	16369-12-3
pentadecanal ^t	1694	1995	0.1	<i>LRI</i> , MS	2765-11-9
heptadecane	1702	1701	0.9	<i>LRI</i> , MS, Std	629-78-7
benzyl benzoate	1731	2539	tr	<i>LRI</i> , MS, Std	120-51-4
anthracene ^t	1732	2601	tr	MS	120-12-7
tetradecanoic acid	1743	2642	tr	<i>LRI</i> , MS, Std	544-63-8
octadecene ^{c, t}	1745	-	tr	MS	-
pentadecan-1-ol ^t	1765	2239	tr	<i>LRI</i> , MS	629-76-5
1,1-diethoxytridecane ^t	1766	-	tr	MS	72934-16-8
hexadec-9-enal ^{c, t}	1769	-	tr	MS	-
octadecene ^{c, t}	1772	1779	tr	MS	-
ethyl tetradecanoate	1777	-	tr	<i>LRI</i> , MS, Std	124-06-1
hexadecanal	1795	2099	0.1	<i>LRI</i> , MS	629-80-1
octadecane	1800	-	0.1	<i>LRI</i> , MS, Std	593-45-3
methyl pentadecanoate	1807	-	tr	<i>LRI</i> , MS, Std	7132-64-1
2-phenethyl benzoate	1823	-	tr	<i>LRI</i> , MS, Std	94-47-3
6,10,14-trimethylpentadecan-2-one	1831	-	0.1	<i>LRI</i> , MS, Std	502-69-2
benzyl salicylate	1839	-	tr	<i>LRI</i> , MS, Std	118-58-1
pentadecanoic acid	1841	2746	tr	<i>LRI</i> , MS, Std	1002-84-2

(<i>Z</i>)-heptadec-8-enal ^t	1870	2225	0.2	MS	56797-41-2
nonadecene ^{c, t}	1871	-	tr	MS	-
(<i>E</i>)-heptadec-8-enal ^t	1873	2230	0.2	MS	123350-64-1
nonadecene ^{c, t}	1874	-	tr	MS	-
ethyl pentadecanoate	1877	2126	tr	<i>LRI</i> , MS, Std	41114-00-5
heptadecan-2-one ^t	1881	2195	0.1	MS	2922-51-2
methyl palmitoleate	1885	-	0.1	<i>LRI</i> , MS, Std	1120-25-8
heptadecanal ^t	1897	2207	0.1	<i>LRI</i> , MS	629-90-3
nonadecane	1904	1924	2.4	<i>LRI</i> , MS, Std	629-92-5
methyl hexadecanoate	1908	2188	tr	<i>LRI</i> , MS, Std	112-39-0
isophytol	1940	-	tr	<i>LRI</i> , MS, Std	505-32-8
hexadecanoic acid	1955	2866	1.8	<i>LRI</i> , MS, Std	57-10-3
ethyl palmitoleate	1954	2251	tr	<i>LRI</i> , MS, Std	56219-10-4
1,1-diethoxypentadecane ^t	1964	-	tr	MS	408310-93-0
ethyl (<i>E</i>)-hexadec-9-enoate ^t	1965	2273	tr	MS	68862-27-1
(<i>Z</i>)-octadec-9-enal	1971	2329	0.1	<i>LRI</i> , MS	5090-41-5
ethyl hexadecanoate	1978	2236	0.4	<i>LRI</i> , MS, Std	628-97-7
eicosane	2000	-	0.2	<i>LRI</i> , MS, Std	112-95-8
octadecanal ^t	2001	2309	tr	<i>LRI</i> , MS	638-66-4

methyl heptadecanoate	2009	-	tr	<i>LRI</i> , MS, Std	1731-92-6
α -kaurene ^t	2022	2309	0.1	<i>LRI</i> , MS	562-28-7
1,1-diethoxyhexadec-9-ene ^{c, t}	2030	-	tr	MS	-
benzyl cinnamate	2052	2759	tr	<i>LRI</i> , MS, Std	103-41-3
heptadecanoic acid	2042	2955	tr	<i>LRI</i> , MS, Std	506-12-7
ethyl heptadec-8-enoate ^{c, t}	2047	2344	tr	MS	
1,1-diethoxyhexadecane ^t	2063	-	tr	MS	761-60-4
methyl linoleate	2073	2451	tr	<i>LRI</i> , MS, Std	112-63-0
octadecan-1-ol	2068	-	tr	<i>LRI</i> , MS, Std	112-92-5
methyl linolenate	2077	2514	tr	<i>LRI</i> , MS, Std	301-00-8
ethyl heptadecanoate	2078	2331	tr	<i>LRI</i> , MS, Std	14010-23-2
nonadecan-3-one ^t	2080	2370	tr	MS	27372-42-5
nonadecan-2-one ^t	2085	2404	tr	<i>LRI</i> , MS	622-66-3
octadecan-2-ol ^t	2097	-	tr	MS	593-32-8
heneicosane	2101	2113	0.7	<i>LRI</i> , MS, Std	629-94-7
nonadecanal ^t	2101	2415	tr	MS	17352-32-8
linoleic acid	2108	3134	tr	<i>LRI</i> , MS, Std	60-33-3
linolenic acid	2112	3202	0.2	<i>LRI</i> , MS, Std	463-40-1
2-phenethyl <i>p</i> -anisate	2113	-	tr	<i>LRI</i> , MS	7465-97-6

oleic acid	2116	3088	0.1	<i>LRI</i> , MS, Std	112-80-1
elaidic acid	2121	3094	0.1	<i>LRI</i> , MS, Std	112-79-8
(<i>Z</i>)-1,1-diethoxyheptadec-8-ene ^t	2129	-	tr	MS	
(<i>E</i>)-1,1-diethoxyheptadec-8-ene ^t	2137	-	tr	MS	
ethyl linoleate	2139	2492	0.1	<i>LRI</i> , MS, Std	544-35-4
ethyl linolenate	2143	2557	0.5	<i>LRI</i> , MS, Std	1191-41-9
octadecanoic acid	2143	3062	tr	<i>LRI</i> , MS, Std	57-11-4
ethyl oleate	2148	2449	tr	<i>LRI</i> , MS, Std	111-62-6
ethyl elaidate	2155	-	tr	<i>LRI</i> , MS, Std	6114-18-7
1,1-diethoxyheptadecane ^t	2161	-	0.1	MS	753457-25-9
ethyl octadecanoate	2178	2436	tr	<i>LRI</i> , MS, Std	111-61-5
docosane	2199	2207	tr	<i>LRI</i> , MS, Std	629-97-0
phytyl acetate	2202	-	tr	<i>LRI</i> , MS, Std	10236-16-5
eicosanal	2204	2522	tr	MS	2400-66-0
1,1-diethoxy-(<i>Z</i>)-octadec-9-ene ^t	2227	-	tr	MS	63303-77-5
1,1-diethoxy-(<i>E</i>)-octadec-9-ene ^t	2235	-	tr	MS	1086275-28-6
1,1-diethoxyoctadecane ^t	2259	-	tr	MS	761-62-6
eicosan-1-ol	2272	-	tr	<i>LRI</i> , MS, Std	629-96-9
ethyl nonadecanoate	2278	-	tr	<i>LRI</i> , MS, Std	18281-04-4

heneicosan-3-one ^t	2283	-	tr	MS	22589-04-4
methyl dehydroabietate ^t	2296	-	tr	MS	1235-74-1
tricosane	2301	2309	0.4	<i>LRI</i> , MS, Std	638-67-5
heneicosanal ^t	2306	-	tr	MS	51227-32-8
4,8,12,16-tetramethylheptadecan-4-olide ^t	2318	-	tr	MS	96168-15-9
benzyl tetradecanoate	2342	-	tr	<i>LRI</i> , MS, Std	31161-71-4
eicosanoic acid	2344	-	tr	<i>LRI</i> , MS, Std	506-30-9
1,1-diethoxynonadecane ^t	2358	-	tr	MS	
(<i>Z</i>)-hex-3-enyl dodecanoate ^t	2360	-	tr	MS	
heneicosan-1-ol ^t	2374	-	tr	MS	15594-90-8
ethyl eicosanoate	2378	-	tr	<i>LRI</i> , MS, Std	18281-05-5
eicosanyl acetate	2392	-	tr	<i>LRI</i> , MS, Std	822-24-2
tetracosane	2400	2404	tr	<i>LRI</i> , MS, Std	646-31-1
docosanal ^t	2408	-	tr	MS	57402-36-5
2-phenethyl tetradecanoate	2443	-	tr	<i>LRI</i> , MS, Std	72934-11-3
1,1-diethoxyeicosane ^t	2457	-	tr	MS	
tricosan-4-one ^t	2471	-	tr	MS	39840-76-1
docosan-1-ol	2478	-	0.1	<i>LRI</i> , MS, Std	661-19-8
ethyl heneicosanoate ^t	2478	-	tr	MS	28898-67-1

tricosan-3-one ^t	2486	-	tr	MS	39754-70-6
heneicosanyl acetate ^t	2492	-	tr	MS	84845-59-0
pentacosane	2500	2508	tr	<i>LRI</i> , MS, Std	629-99-2
tricosanal ^t	2511	-	tr	MS	72934-02-2
benzyl hexadecanoate	2547	-	0.1	<i>LRI</i> , MS, Std	41755-60-6
1,1-diethoxyheneicosane ^t	2557	-	tr	MS	
ethyl docosanoate ^t	2578	-	tr	<i>LRI</i> , MS	5908-87-2
docosanyl acetate	2593	-	tr	<i>LRI</i> , MS, Std	822-26-4
hexacosane	2599	-	tr	<i>LRI</i> , MS, Std	630-01-3
tetracosanal ^t	2615	-	0.1	MS	57866-08-7
2-phenethyl hexadecanoate	2650	-	0.1	<i>LRI</i> , MS, Std	72934-12-4
1,1-diethoxydocosane ^t	2657	-	tr	MS	
tetracosan-1-ol ^t	2678	-	0.2	MS	506-51-4
pentacosanal ^t	2717	-	tr	MS	58196-28-4
benzyl linoleate	2719	-	0.1	<i>LRI</i> , MS, Std	47557-83-5
benzyl linolenate	2725	-	0.1	<i>LRI</i> , MS, Std	77509-02-5
benzyl octadecanoate	2752	-	0.1	<i>LRI</i> , MS, Std	5531-65-7
1,1-diethoxytricosane ^t	2757	-	tr	MS	
squalene	2814	-	0.3	<i>LRI</i> , MS, Std	7683-64-9

2-phenethyl octadecanoate	2855	-	tr	<i>LRI</i> , MS, Std	72934-13-5
benzyl eicosanoate	2956	-	tr	<i>LRI</i> , MS, Std	77509-04-7
2-phenethyl eicosanoate	3059	-	0.1	<i>LRI</i> , MS, Std	608138-41-6
olean-12-en-3-one (β -amyrenone) ^t	3267	-	0.5	MS(27)	638-97-1
olean-12-en-3 β -ol (β -amyrin) ^t	3293	-	0.6	MS(21)	559-70-6
lup-20(29)-en-3-one (lupenone)	3301	-	34.2	<i>LRI</i> , MS, Std	1617-70-5
lup-20(29)-en-3 β -ol (lupeol)	3320	-	14.8	<i>LRI</i> , MS, Std	545-47-1
21- α H-hop-22(29)-en-3-one (moretenone) ^t	3356	-	4.3	MS(21,26)	1812-63-1
21- α H-hop-22(29)-en-3 β -ol (moretenol) ^t	3379	-	2.9	MS(21)	1678-31-5

^a *LRI* of the compounds determined on a HP-1 and a HP-20M column. ^b GC/FID area percentage of liquid injection. ^c Unknown isomer (then no CAS RN -). ^t Tentatively identified (reference compound not available for injection). Compounds present at < 0.1 % are denoted as traces "tr". Identification method: *LRI* = linear retention index, MS = mass spectrum, Odor = odor determined by GC-Sniffing, compared to the GC-O laboratory database, Std = external injection of the reference compound in GC-MS and GC-Sniffing for odor comparison.

37 *Commercial sources of reference compounds*

38 Reference compounds were purchased from Sigma-Aldrich/Fluka (St. Quentin Fallavier,
39 France) [Propanoic acid (Aldrich W292419), benzaldehyde (Aldrich W212717), heptan-1-ol
40 (Aldrich W254800), (*E,E*)-hepta-2,4-dienal (Aldrich W316407), octanal (Aldrich W279714),
41 (*Z*)-hex-3-enyl acetate (Aldrich W317128), octan-1-ol (Aldrich W280003), nonan-2-one
42 (Aldrich W278513), maltol (Aldrich W265624), ethyl heptanoate (Aldrich W243728),
43 linalool (Aldrich W263508), benzoic acid (Aldrich W213128), methyl salicylate (Aldrich
44 W274518), anisaldehyde (Aldrich W267007), 2-phenethyl acetate (Aldrich W285714), *p*-
45 anisyl alcohol (Aldrich W209910), (*E*)-anethole (Aldrich W208604), *p*-vinylguaiacol
46 (Aldrich W267511), undecanal (Aldrich W309206), eugenol (Aldrich W246719), undec-2-
47 enal (Aldrich W342300), *p*-anisyl acetate (Aldrich W209805), *p*-anisic acid (Aldrich
48 117390), tetradec-1-ene (Supelco 442278), ethyl cinnamate (Aldrich W243019), (*Z*)-hex-3-
49 enyl benzoate (Aldrich W368806), tetradecan-1-ol (Aldrich 185388), benzyl benzoate
50 (Aldrich W213810), 2-phenethyl benzoate (Aldrich W286001), 6,10,14-trimethylpentadecan-
51 2-one (Aldrich L299286), benzyl salicylate (Aldrich W215104), isophytol (Aldrich
52 W519200), benzyl cinnamate (Aldrich W214205), octadecan-1-ol (Fluka 74722), squalene
53 (Sigma S3626)].