

Removal of Heavy Metals from Organic Reaction Mixtures - Preparation and Application of Functionalized Resins

Damien Barbaras,[†] Jörg Brozio,[‡] Ib Johannsen,[¥] and Thomas Allmendinger^{,‡}*

SUPPORTING INFORMATION

Spectral Data for Compounds T4 and T4*NSA

S-2

* To whom correspondence should be addressed:
Dr. Thomas Allmendinger
Novartis Pharma AG
Chemical and Analytical Development
CH-4002 Basel, Switzerland
E-mail: thomas.allmendinger@novartis.com
Telephone: +41 (0)61 696 82 25. Fax: +41 (0)61 696 27 11.

[†] ETH Zürich, Laboratorium für Organische Chemie, CH-8093 Zürich, Switzerland

[‡] Novartis Pharma AG, Pharmaceutical and Analytical Development, CH-4002 Basel, Switzerland

[¥] University of Southern Denmark, Department of Physics and Chemistry, DK-5230 Odense M, Denmark

[§] Novartis Pharma AG, Chemical and Analytical Development, CH-4002 Basel, Switzerland



Spectral Data for Compounds T4 and T4*NSA**4-naphthalen-1-yl-isoquinoline (T4)****4-naphthalen-1-yl-isoquinolinium naphthalene-2-sulfonic acid salt (T4*NSA)**




Figure 1: 500 MHz ^1H -NMR spectrum of **T4** in $\text{DMSO}-d_6$ **Figure 2:** 125 MHz ^{13}C -NMR spectrum of **T4** in $\text{DMSO}-d_6$ 

Figure 3: 500 MHz ^1H -NMR spectrum of **T4*NSA** in $\text{DMSO-}d_6$ **Figure 4:** 125 MHz ^{13}C -NMR spectrum of **T4*NSA** in $\text{DMSO-}d_6$ 