

CEMBRANOID DITERPENES FROM THE CARIBBEAN SEA

WHIP *Eunicea knighti*

Edisson Tello, Leonardo Castellanos, Catalina Arevalo and Carmenza Duque*

* whom correspondence should be addressed. Tel: 571-3165000 ext 14477; fax: 571-3165220

E-mail address: cduqueb@unal.edu.co; cduqueb@etb.net.co

Table of Contents

S1. Table of Contents

S2. ^1H NMR spectrum of **1** in CDCl_3 at 400 MHz.

S3. ^{13}C NMR spectrum of **1** in CDCl_3 at 100 MHz.

S4. ^1H NMR spectrum of **2** in CDCl_3 at 400 MHz.

S5. ^{13}C NMR spectrum of **2** in CDCl_3 at 100 MHz.

S6. ^1H NMR spectrum of **3** in CDCl_3 at 400 MHz.

S7. ^{13}C NMR spectrum of **3** in CDCl_3 at 100 MHz.

S8. ^1H NMR spectrum of **6** in CDCl_3 at 400 MHz.

S9. ^{13}C NMR spectrum of **6** in CDCl_3 at 100 MHz.

S10. ^1H NMR spectrum of **7** in CDCl_3 at 400 MHz.

S11. ^{13}C NMR spectrum of **7** in CDCl_3 at 100 MHz.

S12. ^1H NMR spectrum of **8** in CDCl_3 at 400 MHz.

S13. ^{13}C NMR spectrum of **8** in CDCl_3 at 100 MHz.

S14. ^1H NMR spectrum of **9** in CDCl_3 at 400 MHz.

S15. ^{13}C NMR spectrum of **9** in CDCl_3 at 100 MHz.


S16. ^1H NMR spectrum of **10** in CDCl_3 at 400 MHz.

S17. ^{13}C NMR spectrum of **10** in CDCl_3 at 100 MHz.


Figure 1. ^1H - ^1H COSY correlations (bold lines) and key HMB correlations (arrows) for compounds **2** and **3**.

Figure 2. $\Delta\delta_{\text{R-S}}$ values for the C-2 MPA derivatives of **5** in CDCl_3 .


Figure 3. Energy – optimized model of compound **3** and **6** (arrows = important NOE's).




S2. ^1H NMR spectrum of **1** in CDCl_3 at 400 MHz.




S3. ^{13}C NMR spectrum of **1** in CDCl_3 at 100 MHz.




S4. ^1H NMR spectrum of **2** in CDCl_3 at 400 MHz.




S5. ^{13}C NMR spectrum of **2** in CDCl_3 at 100 MHz.




S6. ^1H NMR spectrum of **3** in CDCl_3 at 400 MHz.




S7. ^{13}C NMR spectrum of 3 in CDCl_3 at 100 MHz.




S8. ^1H NMR spectrum of **6** in CDCl_3 at 400 MHz.




S9. ^{13}C NMR spectrum of **6** in CDCl_3 at 100 MHz.




S10. ^1H NMR spectrum of 7 in CDCl_3 at 400 MHz.




S11. ^{13}C NMR spectrum of **7** in CDCl_3 at 100 MHz.




S12. ^1H NMR spectrum of **8** in CDCl_3 at 400 MHz.




S13. ^{13}C NMR spectrum of **8** in CDCl_3 at 100 MHz.




S14. ^1H NMR spectrum of **9** in CDCl_3 at 400 MHz.



S15. ^{13}C NMR spectrum of **9** in CDCl_3 at 100 MHz.



S16. ^1H NMR spectrum of **10** in CDCl_3 at 400 MHz.



S17. ^{13}C NMR spectrum of **10** in CDCl_3 at 100 MHz.




Figure 1. ^1H - ^1H COSY correlations (bold lines) and key HMB correlations (arrows) for compounds **2** and **3**.




Figure 2. $\Delta\delta_{R-S}$ values for the C-2 MPA derivatives of **5** in CDCl_3 .




Figure 3. Energy – optimized model of compound **3** and **6** (arrows = important NOE's).