

Supporting Information for

Ag₄L₂ Nanocage as a Building Unit towards the Construction of Silver Metal Strings

Jing-Yun Wu,[†] Yu-Fang Lin,^{†,‡} Chuan-Hung Chuang,[†] Tien-Wen Tseng,[‡] Yuh-Sheng Wen,[†] and Kuang-Lieh Lu^{*,†}

[†]Institute of Chemistry, Academia Sinica, Taipei 115, Taiwan and [‡]Department of Chemical Engineering, National Taipei University of Technology, Taipei 106, Taiwan

Table of Contents:

Figure S1.	¹ H NMR spectrum of TBim
Figure S2.	FAB-MS spectrum of TBim
Figure S3.	¹ H NMR spectrum of TDMBim
Figure S4.	FAB-MS spectrum of TDMBim
Figure S5.	¹ H NMR spectrum of 1
Figure S6.	FAB-MS spectrum of 1
Figure S7.	¹ H NMR spectrum of 2
Figure S8.	FAB-MS spectrum of 2




Figure S1. ^1H NMR spectrum of TBim




Figure S2. FAB-MS spectrum of TBim




Figure S3. ^1H NMR spectrum of TDMBim




Figure S4. FAB-MS spectrum of TDMBim




Figure S5. ^1H NMR spectrum of **1**




Figure S6. FAB-MS spectrum of **1**




Figure S7. ^1H NMR spectrum of **2**




Figure S8. FAB-MS spectrum of **2**