

Exfoliation of Single-walled Carbon Nanotubes Induced by the Structural Effect of Perylene Derivatives and Their Optoelectronic Properties

Jin-Hyon Lee^{†,a}, Seon-Mi Yoon^{†,b}, Ki Kang Kim^c, In-Sung Cha^a, Young Jun Park^d, Jae-Young Choi^{,b},
Young Hee Lee^{*,c}, and Ungyu Paik^{*,a}*


^aDivision of Advanced Materials Science Engineering, Hanyang University, Seoul 133-791, Korea. ^bDisplay Device & Processing Laboratory, Samsung Advanced Institute of Technology, Yongin-si 449-712, Korea. ^cBK21 Physics Division, Center for Nanotubes and Nanostructured Composites, Sungkyunkwan Advanced Institute of Nanotechnology, Sungkyunkwan University, Suwon, Korea. ^dKowoon Institute of Technology Innovation, Suwon University, Whasung-city, Kyunggi-do, Korea

AUTHOR EMAIL ADDRESS

Jin-Hyon Lee (daniel08@hanyang.ac.kr); Seon-Mi Yoon(sm76.yoon@samsung.com); Ki Kang Kim (w012230@skku.edu); In-Sung Cha (onlynature@hanyang.ac.kr); Young Jun Park (yjpark@chirogenix.com); Jae-Young Choi (jaeyoung88.choi@samsung.com); Young Hee Lee (leeyoung@skku.edu); Ungyu Paik (upaik@hanyang.ac.kr)

* Corresponding authors: U. Paik (upaik@hanyang.ac.kr, Fax: +82 2 2281 0502; Tel: +82 2 2220 0502) J.-Y. Choi (jaeyoung88.choi@samsung.com, Fax:+82 31 280 9348; Tel: +82 31 280 9332) Y. H. Lee (leeyoung@skku.edu, Fax: 82 31 290 5954; Tel: +82 31 299 6507)

[†]These authors contributed equally to this work.



S1. Systematic process flowchart for dispersion of SWCNT using our designed dispersion system.