

Pressure induced structural transition in n-pentane:


A Raman study

G. Kavitha and Chandrabhas Narayana*


Light scattering Laboratory, Chemistry and Physics of Material unit,
Jawaharlal Nehru Centre for Advanced Scientific Research,
Jakkur, Bangalore 560 064, India.

*Corresponding author: cbhas@jncasr.ac.in

SUPPORTING INFORMATION



The Figure I and II shows schematic representation of all-*trans* n-pentane and end *gauche* conformation for n-pentane respectively.¹⁻⁷



The Figure III and IV show schematic representation of symmetric (d^+) and anti-symmetric (d^-) methylene stretching respectively.⁶

References:

1. Kint S.; Scherer, J.R.; Snyder, R.G. *J Chem Phys* **1980**, 73, 2599.
2. MacPhail, R.A.; Strauss, H. L.; Snyder, R. G.; Elliger, C.A. *J Phys Chem* **1984**, 88, 334.
3. Schoen, P.E.; Priest, R.G.; Sheridan, J.P.; Schnur, J.M. *J Chem Phys* **1979**, 71, 317.
4. Yamaguchi, M.; Serafin, S.V.; Morton, T.H.; Chronister, E.L. *J Phys Chem B* **2003**, 107, 2815.
5. Snyder, R.G.; Cameron, D.G.; Casal, H.L.; Compton, D.A.C.; Mantsch, H.H. *Biochim Biophys Acta* **1982**, 684, 111.
6. Snyder, R.G.; Scherer, J.R.; *J Chem Phys* **1979**, 71, 3221.
7. Pink, D.A.; Green, T.J.; Chapman D. *Biochemistry* **1980**, 19, 349.