Supporting Information for

Formation of Stable Vaterite with Poly(acrylic acid) by Delayed Addition Method

Kensuke Naka, Shu-Chen Huang, and Yoshiki Chujo**

Table of Contents

Figure s1. X-ray diffraction patterns of the products of (a) run 2, (b) run 3, (c) run 4, (d) run 5, (e) run 17 in Table 1.

Figure s2. FT-IR spectra of the products of (a) run 2, (b) run 3, (c) run 4, (d) run 5, (e) run 17 in Table 1.

Figure s3. SEM images of the $CaCO_3$ products of (a) run 3 and (c) run 4 with higher magnification images of the products of (b) run 3 and (d) run 4 in Table 1.

Figure s4. TGA thermograph of the products of (a) run 2 —, (b) run 3 —, (c) run 4 —, (d) run 5 —, (e) run 17 — in Table 1.



Figure s1. X-ray diffraction patterns of the products of (a) run 2, (b) run 3, (c) run 4, (d) run 5, (e) run 17 in Table 1.



Figure s2. FT-IR spectra of the products of (a) run 2, (b) run 3, (c) run 4, (d) run 5, (e) run 17 in Table 1.



Figure s3. SEM images of the $CaCO_3$ products of (a) run 3 and (c) run 4 with higher magnification images of the products of (b) run 3 and (d) run 4 in Table 1.



Figure s4. TGA thermograph of the products of (a) run 2 ▬, (b) run 3 ▬, (c) run 4 ▬, (d) run 5 ▬, (e) run 17 ▬ in Table 1.