

## **Supporting Information**

### **Europium (Eu)-containing mesoporous bioactive glass scaffolds for stimulating *in vitro* and *in vivo* osteogenesis**

Chengtie Wu<sup>1\*</sup>, Lunguo Xia<sup>2</sup>, Pingping Han<sup>3</sup>, Lixia Mao<sup>2</sup>, Jiacheng Wang,<sup>1</sup> Dong Zhai<sup>1</sup>, Bing Fang<sup>2\*</sup>, Jiang Chang<sup>1\*</sup>, Yin Xiao<sup>3</sup>

1. State Key Laboratory of High Performance Ceramics and Superfine Microstructure, Shanghai Institute of Ceramics, Chinese Academy of Sciences, Shanghai 200050, People's Republic of China.
2. Center of Craniofacial Orthodontics, Department of Oral and Cranio-maxillofacial Science, Ninth People's Hospital Affiliated to Shanghai Jiao Tong University, School of Medicine, Shanghai 200011, China
3. Institute of Health & Biomedical Innovation, Queensland University of Technology, Brisbane, Queensland 4059, Australia.


\*Corresponding authors:

Email: chengtiewu@mail.sic.ac.cn (C. Wu) Tel.: +86-21-52412249; fax: +86-21-52413903.

Email: braces\_dr@hotmail.com (B. Fang) Tel: +86-21-23271699; Fax: +86-21-63136856.

Email: jchang@mail.sic.ac.acn (J. Chang) Tel.: +86-21-52412804; fax: +86-21-52413903.

C.W, L.X and P.H contribute equally.



**Figure S1.** EDS analysis for MBG (a), 1Eu-MBG (b), 2Eu-MBG (c) and 5Eu-MBG scaffolds (d).




Figure S2. The ionic Eu (a), Si (b), Ca (c) release and (d) weight loss of Eu-MBG scaffolds after soaked in Tris-HCl buffer solution for different time period.