Supporting Information

Fluorous Zirconocene(IV) Complexes and Their Olefin Polymerization Activity in Toluene and Fluorous Biphasic Solvent Systems

Philippe G. Merle,[*,†] Virginie Chéron,[*] Henk Hagen,[*,‡] Martin Lutz,[§] Anthony L. Spek,[§] Berth-Jan Deelman[*,**] and Gerard van Koten[*]

Debye Institute, Department of Metal Mediated Synthesis, Utrecht University, Padualaan 8, NL-3584 CH Utrecht, The Netherlands.

Bijvoet Center for Biomolecular Research, Department of Crystal and Structural Chemistry, Utrecht University, Padualaan 8, NL-3584 CH Utrecht, The Netherlands.

ARKEMA Vlissingen B.V., P.O. Box 70, NL-4380 AB Vlissingen, The Netherlands.

[*] Debye Institute.

[†] Current address: The CHEM Lab, Concordia University, 7141 Sherbrooke West, Montreal H4B 1R6, QC, Canada.

[‡] Current address: Dow Benelux B.V., P.O. Box 48, 4530 AA Terneuzen, The Netherlands

[§] Bijvoet Center for Biomolecular Research

[**] ARKEMA Vlissingen, Corresponding author, Fax: +31 113 612984, e-mail: berth-jan.deelman@arkemagroup.com

Figure S1. ^{1}H NMR spectrum (300 MHz) of **4a**-MAO (Al/Zr = 100) in benzene-d_6



Figure S2. ^{1}H NMR spectrum (300 MHz) of **4b**-MAO (Al/Zr = 100) in benzene-d_6



Figure S3. ^{1}H NMR spectrum (300 MHz) of **4c**-MAO (Al/Zr = 100) in benzene-d_6