

Supporting Information

Prenylbicyclogermacrane Diterpenoids from the Formosan Soft Coral *Nephthea pacifica*

Ali A. H. El-Gamal,^{†,‡} Shang-Kwei Wang,[§] Chang-Feng Dai,[‡] I-Gin Chen,[†] and Chang-Yih Duh^{*,†}

*Department of Marine Resources, National Sun Yat-sen University, Kaohsiung, Taiwan,
Department of Microbiology, Kaohsiung Medical University, Kaohsiung, Taiwan, and
Institute of Oceanography, National Taiwan University, Taipei, Taiwan*

Table of Contents

- S2 **Figure S1.** ¹H NMR spectrum of **1**
- S3 **Figure S2.** ¹³C NMR spectrum of **1**
- S4 **Figure S3.** COSY spectrum of **1**
- S5 **Figure S4.** HSQC spectrum of **1**
- S6 **Figure S5.** HMBC spectrum of **1**
- S7 **Figure S6.** 2D INADEQUATE NMR spectrum of **1**
- S8 **Figure S7.** Key COSY and HMBC correlations of **6**
- S9 **Figure S8.** Selected NOESY correlations of **6**
- S10 **Figure S9.** Selected NOESY correlations of **7**




Figure S1. ¹H NMR spectrum of 1




Figure S2. ¹³C NMR spectrum of 1




Figure S3. COSY spectrum of 1




Figure S4. HSQC spectrum of **1**




Figure S5. HMBC spectrum of **1**




Figure S6. 2D INADEQUATE NMR spectrum of **1**




Figure S7. Key COSY and HMBC correlations of **6**




Figure S8. Selected NOESY correlations of **6**




Figure S9. Selected NOESY Correlations of **7**