

Supporting Information for

Cu Insertion Into the Mo₁₂ Cluster Compound Cs₂Mo₁₂Se₁₄:
Synthesis, Crystal and Electronic Structures, and Physical Properties

Rabih Al Rahal Al Orabi¹, Bruno Fontaine¹, Regis Gautier¹, Patrick Gougeon^{1*}, Philippe Gall¹,
Yohan Bouyrie², Anne Dauscher², Christophe Candolfi², Bertrand Lenoir²

¹ *Institut des Sciences Chimiques de Rennes, UMR 6226 CNRS – Université de Rennes I –*
Ecole Nationale Supérieure de Chimie de Rennes, 11 allée de Beaulieu, CS 50837, 35708
Rennes Cedex, France

² *Institut Jean Lamour, UMR 7198 CNRS – Université de Lorraine, Parc de Saurupt, CS*
50840, 54011 Nancy, France

Table of Contents

Figure S1. BSE image of a fracture area and X-ray mapping for $\text{Cs}_2\text{Mo}_{12}\text{Se}_{14}$.

Figure S2. BSE image and X-ray mapping for $\text{Cs}_2\text{Cu}_2\text{Mo}_{12}\text{Se}_{14}$.

Figure S3. Temperature dependence of the electronic specific heat C_{el} plotted as C_{el} / T versus T of $\text{Cu}_2\text{Mo}_{12}\text{Se}_{14}$ after subtraction of the lattice contribution.

Figure S4. DSC trace upon heating for the $x = 2.0$ sample. The vertical arrow marks the thermal event that may be related to the anomaly observed in the transport properties.




Figure S1. BSE image of a fracture area and X-ray mapping for $\text{Cs}_2\text{Mo}_{12}\text{Se}_{14}$.




Figure S2. BSE image and X-ray mapping for $\text{Cs}_2\text{Cu}_2\text{Mo}_{12}\text{Se}_{14}$.




Figure S3. Temperature dependence of the electronic specific heat C_{el} plotted as C_{el} / T versus T of $\text{Cu}_2\text{Mo}_{12}\text{Se}_{14}$ after subtraction of the lattice contribution.




Figure S4. DSC trace upon heating for the $x = 2.0$ sample. The vertical arrow marks the thermal event that may be related to the anomaly observed in the transport properties.