

Inorg. Chem., 1998, 37(10), 2464-2469, DOI:10.1021/ic971517n

Terms & Conditions

Electronic Supporting Information files are available without a subscription to ACS Web Editions. The American Chemical Society holds a copyright ownership interest in any copyrightable Supporting Information. Files available from the ACS website may be downloaded for personal use only. Users are not otherwise permitted to reproduce, republish, redistribute, or sell any Supporting Information from the ACS website, either in whole or in part, in either machine-readable form or any other form without permission from the American Chemical Society. For permission to reproduce, republish and redistribute this material, requesters must process their own requests via the RightsLink permission system. Information about how to use the RightsLink permission system can be found at http://pubs.acs.org/page/copyright/permissions.html






Figure S₁. Transient absorption spectra for a toluene solution of Mn^{III}TPP(ONO) at $P_{NO} = 185$ torr, observed at (A) 50 ns and (B) 3.5 ms delay after a 355 nm laser pulse. The absorption spectrum of Mn^{III}TPP(ONO) is shown in the inset.




Figure S₂. Transient absorption spectra for a toluene solution of $Mn^{\rm III}TPP(ONO)$ in the presence of 6.2 x 10⁻⁴ M pyridine observed at (A) 50 ns and 10 ms delay after a 355 nm laser pulse.