

Supporting Information for:


**Factors Affecting the Rates of Addition of Free Radicals to Alkenes –
Determination of Absolute Rate Coefficients Using the Persistent Aminoxyl
Method**


Athelstan L.J. Beckwith* and James S. Poole*^a


Nuclear Magnetic Spectra for Compounds Characterised in this Study

Page


- 2 2-Pentoxy-1,1,3,3-tetramethylisoindoline (3b) ¹H NMR
- 3 2-Pentoxy-1,1,3,3-tetramethylisoindoline (3b) ¹³C NMR
- 4 2-(1'-Methoxycarbonylheptanoxy)-1,1,3,3-tetramethylisoindoline (5b) ¹H NMR
- 5 2-(1'-Methoxycarbonylheptanoxy)-1,1,3,3-tetramethylisoindoline (5b) ¹³C NMR
- 6 2-(2'-Pentoxy)-1,1,3,3-tetramethylisoindoline (3c) ¹H NMR
- 7 2-(2'-Pentoxy)-1,1,3,3-tetramethylisoindoline (3c) ¹³C NMR
- 8 2-(1'-Methoxycarbonyl-3'-methylhexanoxy)-1,1,3,3-tetramethylisoindoline (5c) ¹H NMR
- 9 2-(1'-Methoxycarbonyl-3'-methylhexanoxy)-1,1,3,3-tetramethylisoindoline (5c) ¹³C NMR
- 10 2-Cyclohexyloxy-1,1,3,3-tetramethylisoindoline (3d) ¹H NMR
- 11 2-Cyclohexyloxy-1,1,3,3-tetramethylisoindoline (3d) ¹³C NMR
- 12 2-[2'-Cyclohexyl-1'-(methoxycarbonyl)ethoxy]-1,1,3,3-tetramethylisoindoline (5d) ¹H NMR
- 13 2-[2'-Cyclohexyl-1'-(methoxycarbonyl)ethoxy]-1,1,3,3-tetramethylisoindoline (5d) ¹³C NMR
- 14 2-(1',1'-Dimethylpropoxy)-1,1,3,3-tetramethylisoindoline (3e) ¹H NMR
- 15 2-(1',1'-Dimethylpropoxy)-1,1,3,3-tetramethylisoindoline (3e) ¹³C NMR
- 16 2-(1'-Methoxycarbonyl-3',3'-dimethylpentoxy)-1,1,3,3-tetramethylisoindoline (5e) ¹H NMR
- 17 2-(1'-Methoxycarbonyl-3',3'-dimethylpentoxy)-1,1,3,3-tetramethylisoindoline (5e) ¹³C NMR
- 18 2-(1'-Adamantyl)-1,1,3,3-tetramethylisoindoline (3f) ¹H NMR
- 19 2-(1'-Adamantyl)-1,1,3,3-tetramethylisoindoline (3f) ¹³C NMR
- 20 2-[2'-(1''-Adamantyl)-1'-(methoxycarbonyl)ethoxy]-1,1,3,3-tetramethylisoindoline (5f) ¹H NMR
- 21 2-[2'-(1''-Adamantyl)-1'-(methoxycarbonyl)ethoxy]-1,1,3,3-tetramethylisoindoline (5f) ¹³C NMR
- 22 2-[4',4'-dimethyl-1'-(methoxycarbonyl)pent-1'-oxy]-1,1,3,3-tetramethylisoindoline (5g) ¹H NMR
- 23 2-[4',4'-dimethyl-1'-(methoxycarbonyl)pent-1'-oxy]-1,1,3,3-tetramethylisoindoline (5g) ¹³C NMR


2-Pentoxy-1,1,3,3-tetramethylisoindoline (3b) ^1H NMR


2-Pentoxy-1,1,3,3-tetramethylisoindoline (3b) ^{13}C NMR


2-(1'-Methoxycarbonylheptanoxy)-1,1,3,3-tetramethylisoindoline (5b)
 ^1H NMR


2-(1'-Methoxycarbonylheptanoxy)-1,1,3,3-tetramethylisoindoline (5b)
 ^{13}C NMR





2-(2'-Pentoxy)-1,1,3,3-tetramethylisoindoline (3c) ^1H NMR


2-(2'-Pentoxy)-1,1,3,3-tetramethylisoindoline (3c) ^{13}C NMR


2-(1'-Methoxycarbonyl-3'-methylhexanoxy)-1,1,3,3-tetramethylisoindoline (5c) ^1H NMR


2-(1'-Methoxycarbonyl-3'-methylhexanoxy)-1,1,3,3-tetramethylisoindoline (5c) ^{13}C NMR


2-Cyclohexyloxy-1,1,3,3-tetramethylisoindoline (3d) ^{13}C NMR

2-[2'-Cyclohexyl-1'-(methoxycarbonyl)ethoxy]-1,1,3,3-tetramethylisoindoline (5d) ^1H NMR


2-[2'-Cyclohexyl-1'-(methoxycarbonyl)ethoxy]-1,1,3,3-tetramethylisoindoline (5d) ^{13}C NMR


2-(1',1'-Dimethylpropoxy)-1,1,3,3-tetramethylisoindoline (3e) ^1H NMR


2-(1',1'-Dimethylpropoxy)-1,1,3,3-tetramethylisoindoline (3e) ^{13}C
NMR


2-(1'-Methoxycarbonyl-3',3'-dimethylpentoxy)-1,1,3,3-tetramethylisoindoline (5e) ^1H NMR


2-(1'-Methoxycarbonyl-3',3'-dimethylpentoxy)-1,1,3,3-tetramethylisoindoline (5e) ^{13}C NMR




2-(1'-Adamantyl)-1,1,3,3-tetramethylisoindoline (3f) ^1H NMR

2-(1'-Adamantyl)-1,1,3,3-tetramethylisoindoline (3f) ^{13}C NMR

2-[2'-(1''-Adamantyl)-1'-(methoxycarbonyl)ethoxy]-1,1,3,3-tetramethylisoindoline (5f) ^1H NMR

2-[2'-(1''-Adamantyl)-1'-(methoxycarbonyl)ethoxy]-1,1,3,3-tetramethylisoindoline (5f) ^{13}C NMR

2-[4',4'-dimethyl-1'-(methoxycarbonyl)pent-1'-oxy]-1,1,3,3-tetramethylisoindoline (5g) ^1H NMR

2-[4',4'-dimethyl-1'-(methoxycarbonyl)pent-1'-oxy]-1,1,3,3-tetramethylisoindoline (5g) ^{13}C NMR