

Journal of
Medicinal Chemistry

J. Med. Chem., 1996, 39(18), 3483-3490, DOI:[10.1021/jm950823c](https://doi.org/10.1021/jm950823c)

Terms & Conditions

Electronic Supporting Information files are available without a subscription to ACS Web Editions. The American Chemical Society holds a copyright ownership interest in any copyrightable Supporting Information. Files available from the ACS website may be downloaded for personal use only. Users are not otherwise permitted to reproduce, republish, redistribute, or sell any Supporting Information from the ACS website, either in whole or in part, in either machine-readable form or any other form without permission from the American Chemical Society. For permission to reproduce, republish and redistribute this material, requesters must process their own requests via the RightsLink permission system. Information about how to use the RightsLink permission system can be found at <http://pubs.acs.org/page/copyright/permissions.html>



ACS Publications
MOST TRUSTED. MOST CITED. MOST READ.

Copyright © 1996 American Chemical Society

JM950823C





FIGURE LEGEND FOR SUPPLEMENT

Figure 1, Supplement. Proton decoupled ^{13}C NMR spectra (75.4 MHz) of H₃Mabi (**1**) (top) and H₃DMabi (**2**) (bottom) in CDCl₃ at room temperature. Chemical shifts are reported in ppm referenced to TMS.