








11




Current Data Parameters
 NAME LBK5100b1s
 EXPNO 1
 PROCNO 1


F2 - Acquisition Parameters
 Date_ 1000307
 Time 9.02
 INSTRUM drx400
 PROBD 5 mm Multinu
 PULPROG zgpg30
 TD 65536
 SOLVENT CDCl3
 NS 1381
 DS 2
 SWH 23148.148 Hz
 FIDRES 0.353213 Hz
 AQ 1.4156276 sec
 RG 32768
 DM 21.600 usec
 DE 4.50 usec
 TE 300.0 K
 d11 0.0300000 sec
 d12 0.0000200 sec
 PL13 18.00 dB
 D1 0.0500000 sec
 CPDPRG2 waltz16
 PCPD2 100.00 usec
 SF02 400.1316005 MHz
 NUC2 1H
 PL2 -6.00 dB
 PL12 18.00 dB
 P1 6.90 usec
 DE 4.50 usec
 SF01 100.6232933 MHz
 NUC1 13C
 PL1 -6.00 dB

F2 - Processing parameters
 SI 32768
 SF 100.6127290 MHz
 MDW EM
 SSB 0
 LB 1.00 Hz
 GB 0
 PC 1.40

1D NMR plot parameters
 CX 20.00 cm
 F1P 215.000 ppm
 F1 21631.74 Hz
 F2P -5.000 ppm
 F2 -503.06 Hz
 PPMCM 11.00000 ppm/cm
 HZCM 110.00000 Hz/cm






16



S3


F1: 400.132	SW1: 4789	OF1: 2000.7	PTS1d: 16384	USER: -- DATE: May 23 14:11:39 2000
EX: zg30	PW: 7.7 usec	PD: 1.0 sec	NA: 32	LB: 0.0
fm'97 © - \$[BKSI40final] 1				








18

S5




F1:400.132	SW1: 4789	OF1: 2000.7	PTSD: 16384	USER: -- DATE: May 20 17:04:31 2000
INT: 7.7 sec	BD: 1.0 sec	NA: 10000016	1B: 0.0	5:07 @ 01 DVS00-1-00-10





21

S7



USER: -- DATE: May 11 08:48:13 2000

PTSId: 16384

OF1: 2000.7

SW1: 4789

FI: 400.132

4.07 © 1 DVC 000000000000

IP: 0.0

NA: 22

PD: 1.0

SW: 7.7

FI: 400.132

