



Supporting Information


Enantioselective Synthesis of Alkyl Branched Alkanes. Synthesis of the Stereoisomers of 7,11-Dimethylheptadecane and 7-Methylheptadecane, Components of the Pheromone of Lambdina Species
































Supporting Information





Supporting Information Díaz, D.D.; Martín, V.S. Enantioselective Synthesis of Alkyl Branched Alkanes. Synthesis of the Stereoisomers of 7,11-Dimethylheptadecane and 7-Methylheptadecane, Components of the Pheromone of Lambdina Species




Supporting Information









Supporting Information Díaz, D.D.; Martín, V.S. Enantioselective Synthesis of Alkyl Branched Alkanes. Synthesis of the Stereoisomers of 7,11-Dimethylheptadecane and 7-Methylheptadecane, Components of the Pheromone of Lambdina Species




Supporting Information



Supporting Information Díaz, D.D.; Martín, V.S. Enantioselective Synthesis of Alkyl Branched Alkanes. Synthesis of the Stereoisomers of 7,11-Dimethylheptadecane and 7-Methylheptadecane, Components of the Pheromone of Lambdina Species





Supporting InformationDíaz, D.D.; Martín, V.S.Enantioselective Synthesis of Alkyl Branched Alkanes. Synthesis of the Stereoisomers of 7,11-Dimethylheptadecane and 7-Methylheptadecane, Components of the Pheromone of Lambdina Species

