

The effect of acyl chain length and branching on the enantioselectivity of *Candida rugosa* lipase in the kinetic resolution of 4-(2-difluoromethoxyphenyl) substituted 1,4-dihdropyridine 3,5-diesters

Arkadij Sobolev,^{a,b} Maurice C. R. Franssen,^{a*} Brigita Vigante,^b Brigita Cekavicus,^b Raivis Zhalubovskis^b, Huub Kooijman^c, Anthony L. Spek^c, Gunars Duburs^b and Aede de Groot^a

Supporting information

Figure S1. ^1H -NMR of compound **1**.

Figure S2. ^{13}C -NMR of compound **1**.

Figure S3. ^1H -NMR of compound **4a**.

Figure S4. ^{13}C -NMR of compound **4a**.

Figure S5. ^1H -NMR of compound **4b**.

Figure S6. ^{13}C -NMR of compound **4b**.

Figure S7. ^1H -NMR of compound **5a**.

Figure S8. ^1H -NMR of compound **5b**.

Figure S9. ^{13}C -NMR of compound **5b**.

Figure S10. ^1H -NMR of compound **6a**.

Figure S11. ^{13}C -NMR of compound **6a**.

Figure S12. ^1H -NMR of compound **6b**.

Figure S13. ^{13}C -NMR of compound **6b**.

Figure S14. ^1H -NMR of compound **6c**.

Figure S15. ^{13}C -NMR of compound **6c**.

Figure S16. ^1H -NMR of compound **6d**.

Figure S17. ^{13}C -NMR of compound **6d**.

Figure S18. ^1H -NMR of compound **6e**.

Figure S19. ^{13}C -NMR of compound **6e**.

Figure S20. ^1H -NMR of compound **6f**.

Figure S21. ^{13}C -NMR of compound **6f**.

Figure S22. ^1H -NMR of compound **6g**.

Figure S23. ^{13}C -NMR of compound **6g**.

Figure S24. ^1H -NMR of compound $(+)-(R,R)-7$.

Figure S25. ^{13}C -NMR of compound $(+)-(R,R)-7$.

Figure S26. ^1H -NMR of compound $(-)-(R,S)-7$.


Figure S27. ^{13}C -NMR of compound $(-)-(R,S)-7$.

Figure S28. ORTEP(PLATON) plot of $(+)-(R,S)-7$, drawn at 50% probability level.


Hydrogen atoms, except those involved in hydrogen bonding, are omitted for clarity.

Figure S29. Crystal lattice structure of $(+)-(R,S)-7$.


FRAN97H, 183




FRAN97C.143




Method 4d
FRAN20H.102




FRAN20C.102




FRIDAY 2001.10.12
4/6
Beckman




FRAN20C.101




FRANO1H.023



FRAN97H.164




FRAN20C.103




DOI: 10.1016/j.joc.2001.04.025
Received: 6/20/2001
Accepted: 7/10/2001
Published online: 7/10/2001

FRAN01H.020




FRAN97C.106




PCMX-Ric nMR


FRAN20H.010




FRAN20G.C013



105-110-0
FRAN20H017
6




FRAN20C.071




See Note
6d

FRAN20H, 100




FRAN20C.100




Lee Hsieh
6e


FRAN20H.014




FIRAN20C.107




FRAN97H.167
6f




FRAN20C.105




Area PCM
69
FRAN20H.076




FRAN20C.076




FRAN2OH.099





FRAN20H.097



FRAN20C.097

