

Terms & Conditions

Electronic Supporting Information files are available without a subscription to ACS Web Editions. The American Chemical Society holds a copyright ownership interest in any copyrightable Supporting Information. Files available from the ACS website may be downloaded for personal use only. Users are not otherwise permitted to reproduce, republish, redistribute, or sell any Supporting Information from the ACS website, either in whole or in part, in either machine-readable form or any other form without permission from the American Chemical Society. For permission to reproduce, republish and redistribute this material, requesters must process their own requests via the RightsLink permission system. Information about how to use the RightsLink permission system can be found at <http://pubs.acs.org/page/copyright/permissions.html>



ACS Publications

MOST TRUSTED. MOST CITED. MOST READ.

Copyright © 1996 American Chemical Society

Total experimental electron diffraction intensities $I^E(s)$ and background data $B^E(s)$ for 2,5-dihydroxy-terephthalaldehyde for camera length 50 cm

Accelerating voltage: 60 kV, Nozzle temperature: 425 K

$s, \text{\AA}^{-1}$	$I^E(s)$	$B^E(s)$	$s, \text{\AA}^{-1}$	$I^E(s)$	$B^E(s)$
2.000	0.2637	0.2913	8.000	0.4298	0.4546
2.125	0.2717	0.3066	8.125	0.4250	0.4508
2.250	0.2829	0.3236	8.250	0.4203	0.4471
2.375	0.2958	0.3409	8.375	0.4199	0.4435
2.500	0.3147	0.3594	8.500	0.4225	0.4399
2.625	0.3383	0.3783	8.625	0.4272	0.4363
2.750	0.3653	0.3953	8.750	0.4323	0.4328
2.875	0.3889	0.4090	8.875	0.4357	0.4293
3.000	0.4098	0.4202	9.000	0.4361	0.4261
3.125	0.4258	0.4301	9.125	0.4333	0.4230
3.250	0.4316	0.4400	9.250	0.4284	0.4200
3.375	0.4297	0.4502	9.375	0.4211	0.4172
3.500	0.4190	0.4601	9.500	0.4135	0.4145
3.625	0.4040	0.4693	9.625	0.4057	0.4118
3.750	0.3863	0.4774	9.750	0.3995	0.4090
3.875	0.3705	0.4845	9.875	0.3953	0.4061
4.000	0.3598	0.4911	10.000	0.3950	0.4032
4.125	0.3571	0.4974	10.125	0.3982	0.4003
4.250	0.3626	0.5038	10.250	0.4049	0.3975
4.375	0.3767	0.5102	10.375	0.4124	0.3948
4.500	0.3978	0.5163	10.500	0.4196	0.3923
4.625	0.4271	0.5218	10.625	0.4241	0.3900
4.750	0.4647	0.5264	10.750	0.4234	0.3877
4.875	0.5100	0.5299	10.875	0.4197	0.3855
5.000	0.5591	0.5322	11.000	0.4112	0.3832
5.125	0.6065	0.5335	11.125	0.4004	0.3809
5.250	0.6463	0.5341	11.250	0.3898	0.3787
5.375	0.6718	0.5340	11.375	0.3795	0.3764
5.500	0.6836	0.5333	11.500	0.3717	0.3743
5.625	0.6806	0.5320	11.625	0.3654	0.3723
5.750	0.6648	0.5302	11.750	0.3607	0.3705
5.875	0.6407	0.5279	11.875	0.3563	0.3688

Total experimental electron diffraction intensities $I^E(s)$ and background data $B^E(s)$
continued for 2,5-dihydroxy-terephthalaldehyde for camera length 50 cm

Accelerating voltage: 60 kV, Nozzle temperature: 425 K

$s, \text{\AA}^{-1}$	$I^E(s)$	$B^E(s)$	$s, \text{\AA}^{-1}$	$I^E(s)$	$B^E(s)$
6.000	0.6128	0.5249	12.000	0.3524	0.3671
6.125	0.5828	0.5215	12.125	0.3478	0.3653
6.250	0.5557	0.5176	12.250	0.3434	0.3636
6.375	0.5335	0.5135	12.375	0.3395	0.3620
6.500	0.5160	0.5091	12.500	0.3371	0.3604
6.625	0.5033	0.5046	12.625	0.3366	0.3590
6.750	0.4925	0.5000	12.750	0.3372	0.3575
6.875	0.4822	0.4954	12.875	0.3390	0.3561
7.000	0.4701	0.4907	13.000	0.3412	0.3546
7.125	0.4574	0.4859	13.125	0.3450	0.3530
7.250	0.4460	0.4811	13.250	0.3486	0.3515
7.375	0.4385	0.4763	13.375	0.3538	0.3499
7.500	0.4348	0.4716	13.500	0.3585	0.3483
7.625	0.4344	0.4670	13.625	0.3625	0.3471
7.750	0.4347	0.4627	13.750	0.3646	0.3462
7.875	0.4334	0.4585	13.875	0.3641	0.3453

Total experimental electron diffraction intensities $I^E(s)$ and background data $B^E(s)$ for 2,5-dihydroxy-terephthalaldehyde for camera length 19 cm

Accelerating voltage: 60 kV, Nozzle temperature: 425 K

$s, \text{\AA}^{-1}$	$I^E(s)$	$B^E(s)$	$s, \text{\AA}^{-1}$	$I^E(s)$	$B^E(s)$
8.50	0.5525	0.5759	22.00	0.3121	0.3136
8.75	0.5595	0.5600	22.25	0.3115	0.3116
9.00	0.5604	0.5468	22.50	0.3103	0.3097
9.25	0.5464	0.5357	22.75	0.3092	0.3077
9.50	0.5237	0.5254	23.00	0.3070	0.3058
9.75	0.5026	0.5157	23.25	0.3058	0.3040
10.00	0.4958	0.5067	23.50	0.3048	0.3021
10.25	0.5076	0.4982	23.75	0.3040	0.3003
10.50	0.5255	0.4902	24.00	0.3016	0.2986
10.75	0.5291	0.4827	24.25	0.2986	0.2968
11.00	0.5120	0.4755	24.50	0.2954	0.2951
11.25	0.4831	0.4687	24.75	0.2911	0.2934
11.50	0.4582	0.4621	25.00	0.2886	0.2918
11.75	0.4430	0.4557	25.25	0.2864	0.2902
12.00	0.4312	0.4496	25.50	0.2851	0.2886
12.25	0.4180	0.4437	25.75	0.2838	0.2870
12.50	0.4087	0.4380	26.00	0.2840	0.2855
12.75	0.4069	0.4325	26.25	0.2836	0.2840
13.00	0.4108	0.4272	26.50	0.2835	0.2826
13.25	0.4191	0.4221	26.75	0.2828	0.2811
13.50	0.4300	0.4171	27.00	0.2816	0.2798
13.75	0.4348	0.4123	27.25	0.2803	0.2784
14.00	0.4280	0.4077	27.50	0.2787	0.2771
14.25	0.4129	0.4032	27.75	0.2769	0.2757
14.50	0.3986	0.3989	28.00	0.2755	0.2745
14.75	0.3907	0.3947	28.25	0.2740	0.2732
15.00	0.3874	0.3907	28.50	0.2726	0.2720
15.25	0.3864	0.3868	28.75	0.2717	0.2708
15.50	0.3868	0.3870	29.00	0.2702	0.2696
15.75	0.3864	0.3794	29.25	0.2683	0.2685

Total experimental electron diffraction intensities $I^E(s)$ and background data $B^E(s)$
continued for 2,5-dihydroxy-terephthalaldehyde for camera length 19 cm

Accelerating voltage: 60 kV, Nozzle temperature: 425 K

$s, \text{\AA}^{-1}$	$I^E(s)$	$B^E(s)$	$s, \text{\AA}^{-1}$	$I^E(s)$	$B^E(s)$
16.00	0.3836	0.3758	29.50	0.2667	0.2673
16.25	0.3761	0.3724	29.75	0.2647	0.2662
16.50	0.3664	0.3690	30.00	0.2632	0.2652
16.75	0.3583	0.3658	30.25	0.2621	0.2641
17.00	0.3527	0.3627	30.50	0.2609	0.2630
17.25	0.3492	0.3596	30.75	0.2605	0.2620
17.50	0.3476	0.3567	31.00	0.2598	0.2610
17.75	0.3479	0.3538	31.25	0.2602	0.2600
18.00	0.3503	0.3510	31.50	0.2598	0.2590
18.25	0.3526	0.3483	31.75	0.2593	0.2580
18.50	0.3540	0.3457	32.00	0.2590	0.2570
18.75	0.3526	0.3430	32.25	0.2574	0.2560
19.00	0.3489	0.3405	32.50	0.2567	0.2551
19.25	0.3434	0.3380	32.75	0.2554	0.2541
19.50	0.3376	0.3356	33.00	0.2540	0.2532
19.75	0.3319	0.3332	33.25	0.2525	0.2523
20.00	0.3273	0.3309	33.50	0.2510	0.2514
20.25	0.3234	0.3286	33.75	0.2500	0.2505
20.50	0.3217	0.3263	34.00	0.2488	0.2495
20.75	0.3215	0.3241	34.25	0.2481	0.2487
21.00	0.3213	0.3220	34.50	0.2468	0.2478
21.25	0.3202	0.3198	34.75	0.2462	0.2469
21.50	0.3175	0.3177	35.00	0.2451	0.2460
21.75	0.3139	0.3157	35.25	0.2442	0.2452