Supplementary Information

Rhodium-Catalyzed Annulation of Primary Benzylamine with α -Diazo Ketone towards Isoquinoline

Haoke Chu, Peiran Xue, Jin-Tao Yu and Jiang Cheng*

School of Petrochemical Engineering, Jiangsu Key Laboratory of Advanced Catalytic Materials & Technology, Jiangsu Province Key Laboratory of Fine Petrochemical Engineering, Changzhou University, Changzhou 213164, P. R. China

Email: jiangcheng@cczu.edu.cn

Table of Contents

1. Mechanism	S2
2. Copies of the ¹ H NMR and ¹³ C NMR Spectra	S3

1. Mechanism

1.1 Detection of H₂

A piece of filter paper soaked with the solution of phosphomolybdic acid/ $PdCl_2$ is a sensitive detector of reducing gas, such as H_2 and CO.


The wet test paper turned dark blue when absorbing purified H_2 (Entry 1).





[&]quot;--" means negative result;"+"means positive result.

2. Copies of the ¹H NMR and ¹³C NMR Spectra


Ethyl 3-methylisoquinoline-4-carboxylate (3aa)










Ethyl 3,8-dimethylisoquinoline-4-carboxylate (3ba)






Ethyl 3,6-dimethylisoquinoline-4-carboxylate (3ca)







$Ethyl\ 6-methoxy-3-methyl is oquino line-4-carboxylate\ (3 da)$





Ethyl 6-(tert-butyl)-3-methylisoquinoline-4-carboxylate (3ea)







Ethyl 3-methyl-6-phenylisoquinoline-4-carboxylate (3fa)







Ethyl 6-bromo-3-methylisoquinoline-4-carboxylate (3ga):







Ethyl 6-chloro-3-methylisoquinoline-4-carboxylate (3ha)







 $Ethyl\ 6-fluoro-3-methylisoquinoline-4-carboxylate\ (3ia)$







 $Ethyl\ 3-methyl-6-(trifluoromethyl) is oquino line-4-carboxylate\ (3ja)$







 $Ethyl\ 3-methylbenzo [h] is oquino line-4-carboxylate\ (3ka)$







Ethyl 1,3-dimethylisoquinoline-4-carboxylate (3la)







Ethyl 3-methyl-1-phenylisoquinoline-4-carboxylate (3ma)







Ethyl 3,7-dimethylisoquinoline-4-carboxylate (3na)







$Methyl\ 3-methyl is oquino line-4-carboxylate\ (3ab)$







$n\hbox{-} Propyl\ 3\hbox{-} methylisoquino line-4-carboxylate}\ (3ac)$







$i\hbox{-} Propyl\ 3\hbox{-} methyl is oquino line-4-carboxy late\ (3ad)$







$tert-Butyl\ 3-methylisoquino line-4-carboxylate\ (3ae)$







$Benzyl\ 3\text{-}methyl is oquino line-4-carboxylate}\ (3af)$







Ethyl 3-ethylisoquinoline-4-carboxylate (3ag)







Ethyl 3-propylisoquinoline-4-carboxylate (3ah)







Ethyl 3-isopropylisoquinoline-4-carboxylate (3ai)





$\hbox{\it 1-(3-Methylisoquinolin-4-yl)ethan-1-one (3ak)}$





$\textbf{3,3-Dimethyl-3,4-dihydrophen} anthridin-\textbf{1(2H)-one} \hspace{0.1cm} \textbf{(3al)}$

