

Supporting Information

Dopamine Modified Organic-inorganic Hybrid Coating for Anti-microbial and Osteogenesis

Man Li^a, Xiangmei Liu^a, Ziqiang Xu^a, K.W. K. Yeung^{b,c}, Shuilin Wu^{a}*

^a Hubei Collaborative Innovation Center for Advanced Organic Chemical Materials, Ministry-of-Education Key Laboratory for the Green Preparation and Application of Functional Materials, Hubei Key Laboratory of Polymer Materials, School of Materials Science & Engineering, Hubei University, Wuhan 430062, China

^b Division of Spine Surgery, Department of Orthopaedics & Traumatology, Li Ka Shing Faculty of Medicine, The University of Hong Kong, Pokfulam, Hong Kong, China

^c Shenzhen Key Laboratory for Innovative Technology in Orthopaedic Trauma, The University of Hong Kong Shenzhen Hospital, 1 Haiyuan 1st Road, Futian District, Shenzhen, China

* To whom correspondence should be addressed:

E-mail: shuilin.wu@gmail.com or shuilin.wu@hubu.edu.cn (SL Wu);

Tel: +86-27-88661729 and Fax: +86-27-88665610 (SL Wu)

Table of contents in supporting information

1. Self-assemble process of PDA on Ti. (Figure S-1)
2. The EDS examination of calcium phosphate minerals on polydopamine modified Ti substrate. (Figure S-2)
3. EDX analysis of Ag doped on the surface of HA (Figure S-3)
4. Molecular structure of chitosan. (Figure S-4)
5. FTIR analysis of chitosan coating on the surface of the sample. (Figure S-5)
6. *In vitro* *E. coli* and *S. aureus* antibacterial activity of different coatings (mean \pm SD, n = 3). (Figure S-6)
7. Fluorescence microscopic images of *E. coli* on samples. (Figure S-7)
8. Fluorescence microscopic images of *S. aureus* on samples. (Figure S-8)




Figure S1




Figure S2




Figure S3




Figure S4




Figure S5




Figure S6




Figure S7




Figure S8