Supporting information for:

Stratification dynamics in drying colloidal mixtures

Michael P. Howard, † Arash Nikoubashman, ‡ and Athanassios Z. Panagiotopoulos *,†

Department of Chemical and Biological Engineering, Princeton University, Princeton, New Jersey 08544, United States of America, and Institute of Physics, Johannes Gutenberg University Mainz, Staudingerweg 7, 55128 Mainz, Germany

E-mail: azp@princeton.edu

Number density profiles during drying for $d_{\rm B}=6\,d_{\rm S}$ (Figure S1), $4\,d_{\rm S}$ (Figure S2), and $2\,d_{\rm S}$ (Figure S3) at $v=0.02\,d_{\rm S}/\tau$.

^{*}To whom correspondence should be addressed

[†]Princeton University

[‡]Johannes Gutenberg University Mainz




Figure S1: Number density profiles during drying for $d_{\rm B}=6\,d_{\rm S}$ and $v=0.02\,d_{\rm S}/\tau$.




Figure S2: Number density profiles during drying for $d_{\rm B}=4\,d_{\rm S}$ and $v=0.02\,d_{\rm S}/\tau.$




Figure S3: Number density profiles during drying for $d_{\rm B}=2\,d_{\rm S}$ and $v=0.02\,d_{\rm S}/\tau.$