Supply chain optimization of integrated glycerol biorefinery: GlyThink model development and application

Supporting Information for publication

Table S1: Market demands for each product, corresponding main assumptions and respective references.

Markets Germany France Italy	market (10 ³ ton/year) 8.82×10 ³ 4.97×10 ³	Assumptions	Refs
France	8.82×10 ³ 4.97×10 ³		
France	4.97×10 ³		
talv			
-	3.37×10^{3}	Potential addressable market is as replacement of	(1)(2)
United	2.64×10^{3}	polypropylene (PP) and polyethylene (PE)	(1)(2)
	2.01.10		
	2.60×10 ³		
Germany	1.20×10^{6}		
JK	7.89×10^{2}		
France	6.71×10 ²	Bioethanol used as biofuel	(3)
Spain	2.96×10^{2}		
taly	2.84×10^{2}		
Germany	5.36×10^{3}	Decolucion of DLA with an addressable market of	
rance	3.02×10^{3}		(1)
taly	2.05×10^{3}		(1)
JK	1.60×10^{3}		(2)(4)
Spain	1.85×10^{3}	lactic acia	
JK			
			(2),(5,6)
· · · · ·		polyester polyols, alkyl resins, PBS and PBST	(2),(3,0)
· ·			
· ·			
		For the production of PTT, which is a biodegradable	(1)(2)
		replacement for PET	(1)(2)
		·	(7)
		1 op-5 major propylene glycol producers	(7)
			(2.0)
			(8,9)
0		countries	
	6.35×10 ²		
Belgium	3.20×10^{2}	in total for eastern and western Europe, the top-5	(8,10,11)
France	2.75×10^{2}		(0,10,11)
Czech	55	countries	
Republic	55		
Germany	67.5		
France	49.3	Propionic acid demand in the world where 160/ is for	
Netherlands	15		(8,12)
Belgium	92.7	Europe. GDP was used to find the top-5 consumers	
Austria	7.65		
	2.19×10 ²		
JK	1.58×10^{2}		
rance	1.65×10^{2}	European demand of n-butanol	(13–15)
taly	35.3	± -	
taly -	~ ~ ~ ~		1
	82		-
Spain	82 94.7		
Spain Belgium	94.7	Isobutanol is used as a precursor of terephtalic acid, which is	
Spain Belgium Portugal	94.7 49.4	Isobutanol is used as a precursor of terephtalic acid, which is a precursor of PE. The same distribution as the one for	(16.17)
Spain Belgium	94.7	Isobutanol is used as a precursor of terephtalic acid, which is a precursor of PE. The same distribution as the one for plastics in Europe	(16,17)
	France Spain taly Germany France taly JK Spain JK Spain Germany taly France taly JK Spain Germany France taly JK Spain Germany Retherlands France Spain Germany France Spain Germany France Spain Germany France Spain Germany France Spain Germany France Spain Germany France Selgium Selgium France Selgium France Selgium Selgium France Selgium Selgi	KingdomSpain 2.60×10^3 Germany 1.20×10^6 JK 7.89×10^2 France 6.71×10^2 Spain 2.96×10^2 taly 2.84×10^2 Germany 5.36×10^3 France 3.02×10^3 taly 2.05×10^3 taly 2.05×10^3 JK 1.60×10^3 Spain 1.85×10^3 JK 2.52×10^2 Germany 8.54×10^2 Spain 2.52×10^2 Germany 8.26×10^2 Germany 1.22×10^3 France 6.87×10^2 Germany 1.22×10^3 France 6.87×10^2 JK 3.60×10^2 Germany 4.90×10^2 Vetherlands 80 France 80 Spain 95 Belgium 50 Germany 2.44×10^6 France 1.78×10^6 Netherlands 5.54×10^5 Belgium 3.36×10^2 Germany 6.35×10^2 Belgium 3.20×10^2 Germany 6.35×10^2 Germany 6.35×10^2 Belgium 3.20×10^2 Germany 6.35×10^2 Belgium 3.20×10^2 Germany $6.7.5$ Republic 55 Germany $6.7.5$ Germany $6.7.5$ Germany $6.7.5$ Germany $6.7.5$ Germany $6.7.5$ Germany $6.7.5$ Germany	Kingdom pain2.60×103Germany1.20×106JK7.89×102irance6.71×102Bioethanol used as biofueljpain2.96×102taly2.84×102Germany5.36×103France3.02×103replacement of polystyrene (PS), polypropylene (PP) andPET → this market represents 39% of the total market oflatiy2.56×102ipain1.85×103JK2.56×102optim8.54×102polypolyester polyols, alkyl resins, PBS and PBSTrance6.87×102Germany1.22×103irance6.87×102Germany1.22×103irance6.87×102For the production of PTT, which is a biodegradablereplacement for PETopini3.60×102For the production of PTT, which is a biodegradablereplacement for PETopini95Belgium50Sermany2.44×106irance80replacement for PETsetherlands5.54×105top-5 distribution based on the GDP of the individualcountriesustria2.75×102Germany3.20×102Addressable market is acrylic acid and the demand was givenSdiglum3.20×102Germany67.5irance2.75×102Germany67.5irance2.75×102Germany67.5irance2.75×102Germany67.5irance

Epichlorohydrin S _F	Germany	1.58×10^2 Addressable market is the production of epoxy resins.		
	Netherlands	1.42×10^{2}	this, bisphenol A (BPA) is used along with epichlorohydrin.	
	Belgium	96.7	30% of the consumption of BPA is for the production of	(18–20)
	Spain	86.8	epoxy resins. World demand of BPA and the respective	(10-20)
	Italy 42.7	42.7	percentage for Europe. Top-5 consumers of BPA assumed	
		74.7	to be the same for epichlorohydrin.	

Table S2: Matrix of distances between the plant site and the markets.

(km)	Germany	France	Netherlands	Spain	Italy
Germany	383.5	1032.7	467.3	2058.7	1376.3
France	1032.7	529.5	853.9	1001.6	1298
Italy	1376.3	1298	1621.9	1974.1	410
UK	1471.5	1428	1017.3	2311.3	2472.5
Spain	2058.7	1001.6	1753.9	471	1974.1
The Netherlands	467.3	853.9	131.4	1753.9	1621.9
Belgium	543.2	658	224.7	1549.7	1467.2
Austria	685.6	1308.4	1024.6	2242	933.9
Bulgaria	1972.8	2390.9	2412.9	3270.6	1962.5
Czech Republic	529.4	1313	932.4	2416.9	1371.1
Poland	755.9	1710	1023.5	2716.8	3053.9
Portugal	2397.3	1340.2	2092.6	477.8	2389.5

Table S3: Product prices, reference capacity and reference purchased capital investment.

Product	Reference capacity (ton/year)	Purchased Capital Cost (MM\$)	
Succinic acid (SA)	10200	11.217 (21)	
1,3-propanediol (13pdo)	5500	5.347 (21)	
Propionic acid (PA)	6796	4.747 (21)	
Polyhydroxybutyrate (PHB)	3600	15.020 (21)	
1,2-propanediol (12pdo)	7740	4.713 (21)	
Lactic acid (LA)	7931	4.929 (21)	
Isobutanol (Isob)	7300	6.705 (21)	
Hydrogen (H ₂)	659	5.551 (21)	
n-Butanol (BuOH)	3000	5.202 (21)	
Ethanol (EtOH) Acrolein (Acro)	5211 4870	8.227 (21)	
		4.927 (21)	
Epichlorohydrin (epi)	100000 (22)	166 (23)	

^{1.} E4tech (UK), Re-Cord, Wageningen-UR. From the Sugar Platform to biofuels and biochemicals -

Final Report for the European Comission Directorate-General Energy [Internet]. London; 2015. Available from: https://ec.europa.eu/energy/sites/ener/files/documents/EC Sugar Platform final report.pdf

- 2. Plastics the Facts 2014/2015 [Internet]. 2015. Available from: http://www.plastics.gl/market/plastics-the-facts-2014/
- 3. Stange K, Flach B, Lieberz S, Rondon M, Williams B, Teiken C. EU Biofuels Annual 2015. 2015.
- Lactic Acid Market worth \$3,577.5 Million & Polylactic Acid Market worth \$4,840.1 Million by 2019 [Internet]. [cited 2016 Nov 16]. Available from: https://www.linkedin.com/pulse/lactic-acid-marketworth-35775-million-polylactic-48401-eileen-x-
- Slovakia) W (Consultancy company based in. Determination of market potentials for selected platform chemicals [Internet]. Comunication in Bratislava under the BioConSept project. 2013. Available from: http://www.slideshare.net/Greenchemblog/bio-consept-ppt
- 6. Global Succinic Acid & Bio-Succinic Acid Market | Industry Analysis | Forecast 2015-2021 [Internet]. 2015. Available from: http://www.slideshare.net/occamsresearch/succinic-acid-ppt
- 7. ICIS. Chemical Profile: Europe MPG [Internet]. 2014. Available from: http://www.icis.com/resources/news/2014/09/19/9822039/chemical-profile-europe-mpg/
- 8. Statistics. Western Europe. Gross Domestic Product (GDP). 1970-2014.
- Freedonia. World Hydrogen Industry Study with Forecasts for 2013 & 2018 [Internet]. 2010. Available from: http://www.freedoniagroup.com/brochure/26xx/2605smwe.pdf
- Amir A, Afshar N. Chemical Profile: Crude Acrylic acid [Internet]. 2014. Available from: http://www.chemplan.biz/(X(1)S(r05csalpuogmwlo1c3mrhj4g))/chemplan_demo/sample_reports/C rude_Acrylic_Acid_profile.pdf
- 11. Lee R. Whither Demand? Growth in Prospect [Internet]. 2015. Available from: http://www.slideshare.net/TecnonOrbichem/whither-demand-growth-in-prospect
- Grand View Research. Global Propionic Acis Market By application Expected to reach USD 1.53 Billion by 2020. 2015.
- Guzman D. Green Chemicals Blog: Biobased market studies galore! [Internet]. 2013. Available from: http://greenchemicalsblog.com/2013/06/06/biobased-market-studies-galore/
- Guzman D. Cobalt, Rhodia to build n-butanol demo plant [Internet]. 2012 [cited 2016 Nov 15]. Available from: http://www.icis.com/blogs/green-chemicals/2012/08/cobalt-rhodia-to-build-nbutan/
- 15. List of European Countries by GDP. 2015.
- 16. WP 8.1. Determination of market potential for selected platform chemicals. 2011.
- Global Isobutanol Market Set For Rapid Growth, To Reach Around USD 1,085.00 Million By 202.
 2016.

- MarketReseacrhStore. Global Epichlorohydrin Market Is Set for Rapid Growth, To Reach Around
 2,262.8 Kilo Tons By 2020 [Internet]. 2016. Available from: http://www.marketresearchstore.com/news/global-epichlorohydrin-market-206
- Jong E De. Bio-based Chemicals Value Added Products from Biorefineries. A Rep Prep IEA Bioenergy-Task [Internet]. 2011;36. Available from: http://www.qibebt.ac.cn/xwzx/kydt/201202/P020120223409482956847.pdf
- ICIS. European chemical profile: Bisphenol A [Internet]. 2011. Available from: http://www.icis.com/resources/news/2011/05/09/9457899/european-chemical-profile-bisphenola/
- 21. Gargalo CL, Cheali P, Posada JA, Gernaey K V., Sin G. Economic risk assessment of early-stage designs for glycerol valorization in biorefinery concepts. Ind Eng Chem Res. 2015;
- 22. Chemicals-technology.com. Solvay Epichlorohydrin Plant, Thailand [Internet]. [cited 2016 Nov 1]. Available from: http://www.chemicals-technology.com/projects/solvay-plant/
- Almena A, Martín M. Technoeconomic Analysis of the Production of Epichlorohydrin from Glycerol. Ind Eng Chem Res [Internet]. 2015;acs.iecr.5b02555. Available from: http://pubs.acs.org/doi/10.1021/acs.iecr.5b02555