Supporting information for

Carbon Nanotube Thread Electrochemical Cell: Detection of Heavy Metals

Daoli Zhao,[†] David Siebold,[‡] Noe T. Alvarez,[‡] Vesselin N. Shanov,[‡] and William R. Heineman^{†,*}

[†]Department of Chemistry, University of Cincinnati, Cincinnati, Ohio, 45221-0172, United
States

[‡]Department of Biomedical, Chemical and Environmental Engineering, University of Cincinnati, Cincinnati, OH, 45221-0072, United States

Corresponding author:

Email: William.Heineman@uc.edu. Phone: 01-513-556-9210. Fax: 01-513-556-9239.

Table of Contents

Supplementary Figures	S-2
Figure S-1 Optical images of electroplated Ag on the CNT thread	S-2
Figure S-2 repeatability study on different working electrodes	S-3

Supplementary Figures




Figure S-1. Optical images of electroplated Ag from silver nitrate in aqueous ammonia solution on the CNT thread for (a) 5 min, (b) 10 min and (c) 20 min, then treated with FeCl₃ for 60 s.




Figure S-2. Peak current response at 10 different CNT thread working electrodes for 1.0 μ M Pb²⁺ in acetate buffer with CNT thread electrochemical cell. Accumulation time: 120 s; deposition potential: -1.2 V.