

SUPRAMOLECULAR SELF-ASSEMBLY OF MONOCARBOXYDECYL-TERMINATED DIMETHYLSILOXANE OLIGOMER

Gerardo Martínez-Rugiero,^{*,†} Arantxa Arbe,[†] Juan Colmenero,^{‡,†,¶} and
Angel Alegría^{*,‡,†}

[†] Centro de Física de Materiales (CSIC, UPV/EHU) and Materials Physics Center
MPC, Paseo Manuel de Lardizabal 5, E-20018 San Sebastián, Spain

[‡] Departamento de Física de Materiales (UPV/EHU), Apartado 1072, E-20080 San
Sebastián, Spain

[¶] Donostia International Physics Center (DIPC), Paseo Manuel de Lardizabal 4, E-
20018 San Sebastián, Spain

E-mail: gerardo.mtz.rugiero@gmail.com; angel.alegria@ehu.eus




Figure S1. IR absorption of o-DMS-DCOOCH₃ in the range corresponding to the C=O stretching vibration mode.




Figure S2. DSC experiment performed on cooling o-DMS-DCOOCH₃ at a rate of 3 K/min.




Figure S3. WAXS diffraction patterns of o-DMS-DCOOCH₃ (solid lines) compared to those of PDMS (dashed lines) measured at room temperature (upper curves) and at 170 K (lower curves).